



AMES
Drywall Finishing Tools & Services

**RENTAL, EQUIPMENT,
& SUPPLIES CATALOG**
CATÁLOGO DE ALQUILER,
EQUIPOS, Y SUMINISTROS



YOUR COMPLETE DRYWALL TAPING & FINISHING SUPPLIER
SU PROVEEDOR COMPLETO DE ENCINTADO Y ACABADO DE DRYWALL



IN 1939, WE PIONEERED THE TECHNOLOGY. NOW, WE'RE CONSTANTLY INNOVATING TO SERVE YOU.

AMES Taping Tools is the nation's leading provider of automatic taping and finishing (ATF) tools, supplies, and training to the professional drywall finishing industry.

With our expansive network of company stores and franchised tool rental locations throughout the United States and Canada, we're committed to supporting residential and commercial interior finishing contractors with the industry's largest tool rental operation. Our stores offer all customers a comprehensive selection of drywall finishing tools, supplies, and equipment, making us your one-stop shop for all things drywall.

Customer service and product training have remained the cornerstones of our company since its founding nearly 80 years ago. Back then, Bob and Stan AMES traveled across the country to jobsites helping contractors understand the efficiency gains and time-savings offered by automatic taping technology. Not much has changed since 1939; all-encompassing product training continues to be our priority, whether it's on your jobsite or at our corporate training center in Suwanee, Georgia.

Our tool rental philosophy is simple; rent the tools and equipment you need for as long as you need. Our tools are always fully calibrated and ready-to-use, minimizing your jobsite downtime. We offer rental programs of all sizes to help you maximize productivity and manage costs.

EN 1939 FUIMOS LOS PIONEROS DE LA TECNOLOGÍA. AHORA ESTAMOS INNOVANDO CONSTANTEMENTE PARA SERVIRLE A USTED.

AMES Taping Tools es el proveedor líder del país de herramientas automáticas de encintado y acabado (ATF, por sus siglas en inglés), así como de suministros y capacitación para la industria del acabado de panel de yeso profesional.

Con nuestra red en expansión de tiendas de la compañía y ubicaciones franquiciadas de alquiler de herramientas por todas partes de los Estados Unidos y Canadá, estamos comprometidos a brindar apoyo a los contratistas de acabado de interiores residenciales y comerciales con la operación de alquiler de herramientas más grande de la industria. Nuestras tiendas ofrecen a todos los clientes una selección completa de herramientas, suministros y equipo de acabado de panel de yeso, lo cual hace que seamos su centro integral para todo aquello que se relacione con el panel de yeso.

El servicio al cliente y la capacitación sobre productos siguen siendo las piedras angulares de nuestra empresa desde su fundación hace casi 80 años. En aquel momento, Bob y Stan AMES viajaron por todas partes del país a los sitios de construcción, ayudando a los contratistas a entender las ganancias en eficiencia y los ahorros de tiempo ofrecidos por la tecnología de encintado automático. Ha habido pocos cambios desde 1939; una amplia capacitación sobre productos sigue siendo nuestra prioridad, tanto si es en su sitio de construcción como si es en nuestro centro corporativo de capacitación ubicado en Suwanee, Georgia.

Nuestra filosofía de alquiler de herramientas es sencilla; alquile las herramientas y los equipos que necesite por tanto tiempo como los necesite. Nuestras herramientas están siempre completamente calibradas y listas para utilizarse, con lo cual se minimiza el tiempo de inactividad en su centro de construcción. Ofrecemos programas de alquiler de todos los tamaños para ayudarle a maximizar su productividad y administrar sus costos.

TABLE OF CONTENTS

1 RENTAL.....	2
Taping.....	3
Finishing.....	4-6
Handles.....	7
Pumps.....	8
Drywall Systems.....	9-10
Packages.....	11
2 POWER EQUIPMENT.....	12
Texture Sprayers.....	13-15
Portable Board Milling & Fabrication.....	16-17
Worklights.....	18
Heaters & Fans.....	19
Automated Drywall Corner System.....	19
3 POWER TOOLS.....	20
Sanders.....	21
Vacuums.....	21
Screw Guns.....	23
Mud Mixers.....	24
Routers / Cut-out tools.....	24
Combo Kits.....	24
Fasteners.....	24
Laser Levels.....	25
4 HANGING & COMPOUND TOOLS.....	26
Hammers.....	27
T-Squares.....	27
Cutting Knives.....	27
Leather Products.....	28
Tape Measures.....	29
Snips.....	29
Staplers.....	29
Circle Cutters.....	30
Saws.....	30
Rasps.....	30
Mixing Tools.....	30
Miscellaneous.....	31
5 ABRASIVES.....	32
Sponges.....	33
Block.....	33
Single Angle.....	33
Dual Angle.....	33
Other Sanding Sponges.....	33
Sanding Discs.....	34
Sanding Sheets.....	35
Sanding Rolls.....	36
Sanding Pads.....	36
Sanding Tools.....	37
6 SCAFFOLDS AND STEP UPS & STILTS.....	38
Scaffold.....	39
Benches.....	40
Trigger Benches.....	40
Drywall Carts & Trash Trucks.....	40
Stilts.....	41
7 TEXTURE & BEAD.....	42
Texture.....	43
Brushes.....	43
Rollers.....	43
Masking Tape.....	43
Masking Paper.....	44
Masking Film.....	44
Masking Tools & Blades.....	44
Poly Sheeting.....	44
Bead.....	45
Hoppers.....	45
Banjós.....	45
Drywall Tapes.....	45
Patches.....	45
8 SAFETY.....	46
Apparel.....	47-48
Hard Hats.....	49
Eyewear.....	49
Earwear Protection.....	49
Dust Masks.....	50
Gloves.....	50



AMESTOOLS.COM

AMEStools.com is your ultimate tool! Check out the Learning Center to watch videos on tool use and maintenance, sign up for ATF tool training, and view tool operations guides. You can also find AMES stores near you, browse our merchandise selection, apply for a tool rental account and so much more!

Con nuestro programa de herramientas de alquiler, descubrirá eficiencias tanto dentro como fuera del lugar de trabajo. ¡Incrementa tu producción de acabado promedio hasta en un 50 por ciento! También ahorrará tiempo y dinero en costosos ajustes y reparaciones: simplemente traiga sus herramientas usadas y cámbielas por un juego nuevo cuando lo necesite.

1

RENTAL ALQUILER



07 BAZOOKA® AUTOMATIC TAPER


The AMES Bazooka® brand automatic taper simultaneously applies tape and joint compound to all wallboard joints – horizontal and vertical joints, ceiling joints, interior corners and angles. The Bazooka® taper automatically dispenses the precise amount of tape and compound for fast, efficient operation.

- Stainless steel and anodized aluminum composition for lightweight and durability
- Integrated flanges provide positive, ergonomic grip when cutting or advancing tape, reducing user fatigue
- Tube protector provides comfortable hand grip for better control and steering
- Enclosed rollers provide smoother operation and protect hands
- Longer control tube makes it easier to cut tape when working on higher ceilings
- Twist-off removal of the tube protector makes it easy to access the cable and plunger
- Attached keeper speeds changing of tape rolls

ENCINTADORA AUTOMÁTICA BAZOOKA®

La encintadora automática marca Bazooka® de AMES aplica simultáneamente cinta y compuesto para uniones a todas las uniones de panel de pared: uniones horizontales y verticales, uniones de techo, esquinas interiores y ángulos.

- Composición de aluminio anodizado y acero inoxidable para peso ligero y durabilidad
- Las bridas integradas proporcionan un agarre positivo y ergonómico al cortar o avanzar la cinta, reduciendo la fatiga del usuario
- El protector de tubo proporciona un agarre cómodo para un mejor control y dirección
- Los rodillos cerrados proporcionan una operación más suave y protegen las manos
- Un tubo de control más largo hace que sea más fácil cortar la cinta cuando se trabaja en techos más altos
- La extracción por torsión del protector del tubo facilita el acceso al cable y al émbolo
- El guardián adjunto acelera el cambio de rollos de cinta



- Learn about maintenance, tips and more at [AMEStools.com/learning-center](https://www.amestools.com/learning-center)
- Aprenda acerca de mantenimiento, obtenga consejos y más en at: [AMEStools.com/learning-center](https://www.amestools.com/learning-center)



Fill with
Llenar con
**76 EASYCLEAN® PUMP &
86 GOOSENECK**



EMBEDDING CORNERS RINCONES DE EMPOTRAR

Finishes the automatic taping process
Termina el proceso de grabación automática

15E CORNER ROLLER

Used immediately after the Bazooka®, the stainless steel rollers firmly embed the tape into the corner in preparation for the corner finisher.

Utilizados después de la Bazooka®, los rodillos de acero inoxidable incrustan firmemente la cinta en la esquina en preparación para la acabadora de esquinas.



88X Universal Extension handle

APPLICATORS APLICADORES

Supply joint compound to Corner Finishers
Suministrar compuesto para juntas a los acabados de esquina

14 MUDRUNNER®

The AMES MudRunner® is the next generation of Corner Applicators. A simple twist of the handle applies compound effortlessly with Corner Finishers.

El MudRunner® es la próxima generación de aplicadores de esquinas. Un simple giro del mango aplica compuesto sin esfuerzo con acabadoras de esquinas.



35X 8" CORNER APPLICATOR

The Corner Applicator supplies joint compound to Corner Finishers. They feature a stainless steel cone for long life.

- Attaches securely to Corner Finishers
- Ball joint allows flexible positioning of attachment
- Easily reaches high angles from the floor

Los aplicadores de esquinas suministran compuesto para uniones a las acabadoras de esquinas. Cuentan con un cono de acero inoxidable para brindar una larga vida útil.

- Se instala firmemente en las acabadoras de esquinas
- La articulación esférica permite un posicionamiento flexible del aditamento
- Alcanza fácilmente ángulos elevados desde el piso



Use with 88X UNIVERSAL EXTENSION HANDLE

FINISHING CORNERS

RINCONES DE EMPOTRAR

Finishes and smooths out corner compound application.
Acabado y alisado de aplicaciones de esquinas compuestas.

CORNER FINISHER

High carbon steel blades remove excess compound and feather the edges for a finish that needs little or no sanding.

- Stainless steel frames
- Spring-loaded action compensates for imperfect angles

Las cuchillas de acero rico en carbono retiran el exceso de compuesto y alisan los bordes para lograr un acabado que necesita poco o nada de lijado.

- Armazones de acero inoxidable
- La acción activada por resorte compensa en el caso de ángulos imperfectos



40 2" CORNER FINISHER



42 2.5" CORNER FINISHER



* Use with
Usar con
88X UNIVERSAL EXTENSION HANDLE &
90B CORNER FINISHER ADAPTER



EASYROLL® CORNER FINISHER

Designed to handle first and second coats with a simple cam adjustment. Wheels move tool along angle joints with less effort.

- EasyRoll™ wheels for smoothest wall action
- Stainless steel frames
- Spring-loaded action compensates for imperfect angles

Diseñadas para manejar primeras y segundas capas con un simple ajuste de leva. Las ruedas mueven la herramienta a lo largo de las uniones angulares con menos esfuerzo.

- Ruedas EasyRoll™ para ofrecer la acción más suave posible sobre la pared
- Armazones de acero inoxidable
- La acción activada por resorte compensa en el caso de ángulos imperfectos



48 3" EASYROLL® CORNER FINISHER



48X 3.5" EASYROLL® CORNER FINISHER



* Use with
Usar con
14 MUDRUNNER®

* One of many options to use the corner applicator. See store associate to see what works for your job.

*Una de las muchas opciones para usar el aplicador de esquina. Consulte a un empleado de la tienda para ver qué funciona para su trabajo.

NAIL SPOTTERS

RINCONES DE EMPOTRAR

Applies compound to nail or screw-head dimples.

Aplica compuesto a las hendiduras dejadas por las cabezas de clavo o de tornillo.

NAIL SPOTTERS

Applies compound to nail or screw-head dimples. Fill a row of dimples with one pass. The crowned, high carbon steel blade allows for shrinkage of compound.

Aplica compuesto a las hendiduras dejadas por las cabezas de clavo o de tornillo. Llene una hilera de hendiduras con una pasada.



Use with **88X UNIVERSAL EXTENSION HANDLE**
Usar con



68X 3" NAIL SPOTTER



63X 2" NAIL SPOTTER

FINISHING BOXES RINCONES DE EMPOTRAR

Applies more joint compound over taped drywall joints and feathers the edges.
Aplica más compuesto para juntas sobre las uniones de paneles de yeso con cinta y los bordes de las plumas.

FLAT BOXES

The AMES Flat Box applies joint compound over taped joints. The adjustable, hardened-steel blade trowels the compound, feathers the edge and leaves just the right amount of 'crown' down the middle. The finished joint needs little or no sanding.

La caja plana AMES aplica compuesto para uniones sobre uniones encintadas. La cuchilla ajustable de acero endurecido allana el compuesto, alisa el borde y deja justo la cantidad adecuada de "corona" en el centro. La unión acabada necesita poco o nada de lijado.



20 7" FLAT BOX



25 10" FLAT BOX



30 12" FLAT BOX

EASYCLEAN® BOX

The EasyClean® Box box has an easy-to-open feature that makes cleaning and maintenance more efficient and thorough. It also has greater mud capacity than the traditional flat box.

La caja EasyClean® cuenta con un dispositivo fácil de abrir que hace que la limpieza y el mantenimiento sean más eficaces y minuciosos. Esta caja también tiene una mayor capacidad de compuesto que la caja plana tradicional.



22HC 7" EASYCLEAN® BOX



27HC 10" EASYCLEAN® BOX



32HC 12" EASYCLEAN® BOX

POWER ASSIST® BOX

Accomplishes the same goal as the traditional flat box yet features an exclusive spring-loaded design that requires much less effort. It also has greater mud capacity for improved speed and efficiency.

Logra el mismo objetivo que la caja plana tradicional, pero cuenta con un exclusivo diseño accionado por resorte que hace que usar la caja requiera mucho menos esfuerzo. Esta caja también tiene mayor capacidad de compuesto para mejorar la velocidad y la eficacia.



24HC 7" POWERASSIST® BOX



28HC 10" POWERASSIST® BOX



33HC 12" POWERASSIST® BOX

Fill with
Llenar con
76 EASYCLEAN® PUMP & 90A FILLER ADAPTER



Use all with
Usar todo con
88E XTENDER® BOX HANDLE



HANDLES MANGOS

BOX HANDLES

Securely attaches to all finishing boxes for superior control and finishing.

MANGO PARA CAJAS

Se instala firmemente en todas las cajas de acabado para lograr un control y un acabado excepcionales.



8034W 34" BOX HANDLE



8042W 42" BOX HANDLE



8054W 54" BOX HANDLE



8072W 72" BOX HANDLE

88E XTENDER® BOX HANDLE

Provides flexible reach when using all finishing boxes.

- Longest extendable box handle – from 41" to 63"
- Strongest extendable box handle in the industry
- Adjustable brake grip to fit any size hand

MANGO PARA CAJAS XTENDER®

Proporciona un alcance flexible cuando se utilizan todas las cajas de acabado.

- El mango extensible para cajas más largo, desde 41 pulgadas (1.04 m) hasta 63 pulgadas (1.60 m)
- El mango extensible para cajas más fuerte de la industria
- Agarre de freno ajustable para adaptarse a manos de cualquier tamaño



88X UNIVERSAL EXTENSION HANDLE


Accommodates multiple attachments with the use of only one handle! Extends up to 10' reach with all tools.

- Larger diameter tube for more comfort during use
- Positive stops for length adjustments
- Aluminum construction for durability

MANGO EXTENSIBLE UNIVERSAL

El mango extensible universal acomoda múltiples aditamentos con el uso de un solo mango. Se extiende hasta un alcance de 10 pies con todas las herramientas

- Tubo de diámetro más grande para brindar más comodidad durante el uso
- Topes positivos para realizar ajustes de longitud



76 EASYCLEAN® PUMP

Quickly fills your AMES tools with joint compound.

- EasyClean® design with removable tube makes maintenance and cleaning easy
- Low-friction components for easy suction
- Includes coarse and fine screens

BOMBA EASYCLEAN®

Llena rápidamente sus herramientas AMES con la cantidad correcta de compuesto para uniones.

- El diseño EasyClean® con tubo retirable facilita el mantenimiento y la limpieza
- Componentes de baja fricción para facilitar la succión
- Incluye tamices gruesos y finos



76XL EASYCLEAN® XL PUMP

Quickly fills your AMES tools with joint compound.

- Designed to fit 30-gallon barrels of joint compound
- Perfect for high-production finishers
- Avoid bending over to fill tools

BOMBA XL EASYCLEAN®

Llena rápidamente sus herramientas AMES con la cantidad correcta de compuesto para uniones.

- Diseñado para adaptarse a barriles de 30 galones
- Perfecto para compañía de alta producción
- Evite inclinarse para llenar herramientas



90A FILLER ADAPTER

Used to fill AMES finishing boxes, nail spotters, corner applicators, and the MudRunner®

- Attaches to 76 and 76XL pumps

Se utiliza para llenar cajas de acabado, detectores de clavos, aplicadores de esquinas y el MudRunner® de AMES

- Se acopla a las bombas 76 y 76XL



86 GOOSENECK ADAPTER

Attaches to pumps to fill all AMES automatic tapers.

- Attaches to 76 pump

Se acopla a las bombas para llenar todas las encintadoras automáticas AMES.

- Se acopla a las bomba 76



86XL GOOSENECK XL ADAPTER

Attaches to pumps to fill all AMES automatic tapers.

- Attaches to 76XL pump
- Designed to fit 30-gallon barrels of joint compound


Se acopla a las bombas para llenar todas las encintadoras automáticas AMES.

- Se acopla a las bomba 76XL
- Diseñado para adaptarse a barriles de 30 galones



DRYWALL FINISHING SYSTEM

SISTEMA DE ACABADO DE PANELES DE YESO



1

TAPING ENCINTADO



07 Automatic Taper



76 Pump



86 Gooseneck



88X Universal Extension Handle

USE
WITH



15E Corner Roller

USE
WITH



90B Corner Roller Adapter

+

2", 2½"



40 , 42 Corner Finishers

DRYWALL FINISHING SYSTEM

SISTEMA DE ACABADO DE PANELES DE YESO



2 EMBEDDING INCRUSTACIÓN

88X Universal Extension Handle



USE WITH



63X, 68X Nail Spotters



76 Pump



90A Filler Attachment



8034W, 8042W, 8054W, 8072W Box Handle

OR



88E XTender® Box Handle

USE WITH


7", 10"



20, 25 Flat Boxes

USE WITH

7", 10"



22HC, 27HC EasyClean® Boxes

USE WITH

7", 10"




24HC, 28HC PowerAssist® Boxes

DRYWALL FINISHING SYSTEM

SISTEMA DE ACABADO DE PANELES DE YESO

3 FINISHING ACABADO



14 Mudrunner

3", 3 1/2"

USE WITH



48, 48X EasyRoll® Corner Finishers

OR USE



88X Universal Extension Handle

USE WITH



35X Corner Applicator

+

3", 3 1/2"



48, 48X EasyRoll® Corner Finishers



8034W, 8042W, 8054W, 8072W Box Handle

OR



88E XTender® Box Handle

USE WITH

10", 12"



25, 30 Flat Boxes

USE WITH

10", 12"



27HC, 32HC EasyClean® Boxes

USE WITH

10", 12"



28HC, 33HC PowerAssist® Boxes



76 Pump



90A Filler Attachment

SUGGESTED RENTAL PACKAGES

PAQUETES DE ALQUILER SUGERIDOS

TAPING SET

- 07 Bazooka Taper
- 15E Corner Roller
- 42 2.5" Corner Finisher
- 76 EasyClean Pump
- 86 Stainless Steel Gooseneck
- 88X Universal Extension Handle (2 Qty)
- 90B Corner Finisher Adapter



CORNER FINISHING SET

- 35X 8" Large Corner Applicator
- 48 3" EasyRoll Corner Finisher
- 76 EasyClean Pump
- 88X Universal Extension Handle
- 90A Filler Adapter



BOX SET

- 25 10" Flat Box
- 30 12" Flat Box
- 76 EasyClean Pump
- 88E XTender Handle
- 90A Filler Adapter



MUDRUNNER CORNER FINISHING SET

- 14 Mudrunner
- 48 3" EasyRoll Corner Finisher
- 76 EasyClean Pump
- 90A Filler Adapter



BASIC SET

- 07 Bazooka Taper
- 15E Corner Roller
- 25 10" Flat Box
- 30 12" Flat Box
- 35X 8" Corner Applicator
- 48 3" EasyRoll Corner Finisher
- 76 EasyClean Pump
- 86 Stainless Steel Gooseneck
- 88E XTender Handle
- 88X Universal Extension Handle (2 Qty)
- 90A Filler Adapter
- 90B Corner Finisher Adapter



ADVANCED SET

- 07 Bazooka Taper
- 15E Corner Roller
- 25 10" Flat Box
- 30 12" Flat Box
- 35X 8" Large Corner Applicator
- *14 Mudrunner
- 42 2.5" Corner Finisher
- 48 3" EasyRoll Corner Finisher
- 76 EasyClean Pump (2 Qty)
- 86 Stainless Steel Gooseneck
- 88E XTender Handle
- 88X Universal Extension Handle (2 Qty)
- 90A Filler Adapter



*Can Be Used In Place Of 35X For Up-charge

PERFORMANCE SET

- 07 Bazooka Taper
- 15E Corner Roller
- 25 10" Flat Box
- 30 12" Flat Box
- 35X 8" Large Corner Applicator
- *14 Mudrunner
- 42 2.5" Corner Finisher
- 48 3" EasyRoll Corner Finisher
- 63X 2" EasyClean Nail Spotter
- 68X 3" EasyClean Nail Spotter
- 76 EasyClean Pump (2 Qty)
- 86 Stainless Steel Gooseneck
- 88E XTender Handle (2 Qty)
- 88X Universal Extension Handle (3 Qty)
- 90A Filler Adapter
- 90B Corner Finisher Adapter



2

POWER EQUIPMENT

EQUIPO ELECTRICAS





25D492

FASTFINISH PRO TEXTURE SYSTEM

- FastFinish Pressure-Boosted Hopper Gun
- The Power of A Large Spray Rig in the Palm of Your Hand
- No-Spill Sealed Hopper Keeps Material Fresh
- Fast Application – Less Lifting & Less Fatigue
- Consistent Spray Pattern Until Empty
- Spray Every Finish with Adjustable Pressure & 3 Nozzles

- Pistola de tolva reforzada a presión FastFinish
- La potencia de un equipo rociador grande en la palma de la mano
- La tolva sellada a prueba de derrAMES mantiene fresco el material
- Aplicación rápida: menos levantar y menos fatiga
- Patrón de rociado uniforme hasta que está vacía
- Rocíe cada acabado con presión ajustable y 3 boquillas



25D494

FASTFINISH STD TEXTURE SYSTEM

- FastFinish CF9 Air Compressor
- 100% Spray Time with Continuous Air Flow
- Powerful 9 cfm @ 40 psi (Maximum Pressure 60 psi)
- Heavy-duty 2 HP AC Motor
- Piston-Powered Tank-less Design
- Ready to Spray: No Draining or Maintenance

- Compresor de aire FastFinish CF9
- 100% de tiempo de rociado con caudal de aire continuo
- Potentes 9 pcm a 40 psi (presión máxima 60 psi)
- Motor de CC de 2 HP de servicio pesado
- Diseño sin tanque impulsado por pistón



17H572

RTX1400 STD INTERIOR SPRAYER

- RotoFlex II Pump
- High-Output 6.1 cfm Air Compressor
- AC High-Output Electric Motor
- Skip-Bond Material/Air Hose
- FlexChange™ Pump Section
- Adjustable Material Flow Control
- Lightweight Spray Gun

- Bomba RotoFlex II
- Compresor de aire de 6.1 pcm de alto caudal
- Motor eléctrico de CA de alta potencia
- Manguera de material/aire Skip-Bond
- Sección de bomba FlexChange™
- Control ajustable del caudal de material
- Pistola rociadora ligera



17U219

RTX 2500PI SPRAYER

- RotoFlex Pump
- High-Output Air Compressor
- FlexChange™ Pump Section
- SmartStart™ System
- WideTex Tips & Adapter
- Heavy-Duty Aluminum Trigger Gun with Integrated Prime Selector
- 1 in Skip-Bond Material/Air Hose

- Bomba RotoFlex
- Compresor de aire de alto caudal
- Sección de bomba FlexChange™
- Sistema SmartStart™
- Puntas y adaptador WideTex
- Pistola con gatillo de aluminio de servicio pesado con selector de cebado integrado
- Manguera de material/aire Skip-Bond de 1 pulgada



17H573

RTX 2000 PRO INTERIOR SPRAYER

- RotoFlex Pump
- High-Output Air Compressor
- FlexChange™ Pump Section
- SmartStart™ System
- WideTex Tips & Adapter
- Heavy-Duty Aluminum Trigger Gun with Integrated Prime Selector
- 1 in Skip-Bond Material/Air Hose

- Bomba RotoFlex
- Compresor de aire de alto caudal
- Sección de bomba FlexChange™
- Sistema SmartStart™
- Compresor de aire de cilindros gemelos
- Puntas y adaptador WideTex
- Pistola con gatillo de aluminio de servicio pesado con selector de cebado integrado
- Manguera de material/aire Skip-Bond de 1 pulgada



17H575
RTX5000 PRO INTERIOR SPRAYER

- RotoFlex Pump
- High-Output Air Compressor
- FlexChange Pump Section
- SmartStart™ System
- Twin-Cylinder Air Compressor
- WideTex Tips & Adapter
- Heavy-Duty Aluminum Trigger Gun with Integrated Prime Selector
- 1 in Skip-Bond Material/Air Hose

- Bomba RotoFlex
- Compresor de aire de alto caudal
- Sección de bomba FlexChange
- Sistema SmartStart™
- Compresor de aire de cilindros gemelos
- Puntas y adaptador WideTex
- Pistola con gatillo de aluminio de servicio pesado con selector de cebado integrado
- Manguera de material/aire Skip-Bond de 1 pulgada



17H579
RTX5000 PRO EXTERIOR SPRAYER

The RTX Pro Exterior Series is configured to tackle exterior jobs of all sizes.

- RotoFlex HD Pump
- Bonded Heavy-Duty Material/Air Hose
- FlexChange Pump Section
- SmartStart™ System
- Twin-Cylinder Air Compressor
- External Air Input
- WideTex with Hardened Tips & Adapter

La serie RTX Pro Exterior está configurada para realizar trabajos exteriores de todos los tamaños.

- Bomba RotoFlex HD
- Manguera aglutinada de material/aire de servicio pesado
- Sección de bomba FlexChange
- Sistema SmartStart™
- Compresor de aire de cilindros gemelos
- Entrada de aire externa



17H581
RTX5500 PRO EXTERIOR SPRAYER

The RTX 5500 Pro Exterior Series is configured to tackle exterior jobs of all sizes.

- Extra Large Capacity Hopper
- Holds up to 15 gallons of materials for less time spend refilling the hopper
- 240V MaxPower Brushless DC Motor
- Allows the trouble-free use of long extension cords with less circuit breaker issues

La serie RTX 5500 Pro Exterior está configurada para realizar trabajos exteriores de todos los tamaños.

- Tolva de capacidad extragrande
- Alberga hasta 15 galones de materiales para pasar menos tiempo rellenando la tolva
- Motor de CC sin escobillas MaxPower de 240 V
- Permite usar sin dificultad cables de extensión largos con menos problemas de cortacircuitos



17E604
MARK IV PRO CONTRACTOR PLUS

The ProContractor Series sprayer has all the features of the Standard Series, plus:

- QuikReel – Deploy and rewind up to 300 ft of hose in seconds without twists or coils.
- LED Display – Bright easy-to-read LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.
- WatchDog Pump Protection System – Saves the pump from damage when paint or texture material runs out or a hose breaks.
- ProConnect 2 Pump Removal System – Change out the pump using no tools in seconds resulting in quickly getting back to work.

El rociador serie ProContractor tiene todas las características de la serie Estándar y además:

- Riel QuikReel: despliegue y rebobine hasta 300 pies de manguera en segundos sin retorcimientos ni enredos.
- Pantalla LED: la luminosa pantalla LED fácil de leer muestra la lectura de presión, el contador de trabajos/tiempo de vida/galones y los autodiagnósticos.
- Sistema de protección de la bomba WatchDog: evita que la bomba sufra daños cuando la pintura o el material de textura se acabe, o cuando se rompa una manguera.
- Sistema de remoción de la bomba ProConnect 2: cambie la bomba en segundos sin tener que usar herramientas, lo cual le permite regresar rápidamente el trabajo.



17E606
MARK V PRO CONTRACTOR PLUS

The ProContractor Series sprayer has all the features of the Standard Series, plus:

- QuikReel – Deploy and rewind up to 300 ft of hose in seconds without twists or coils.
- LED Display – Bright easy-to-read LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.
- WatchDog Pump Protection System – Saves the pump from damage when paint or texture material runs out or a hose breaks.
- ProConnect 2 Pump Removal System – Change out the pump using no tools in seconds resulting in quickly getting back to work.

El rociador serie ProContractor tiene todas las características de la serie Estándar y además:

- Riel QuikReel: despliegue y rebobine hasta 300 pies de manguera en segundos sin retorcimientos ni enredos.
- Pantalla LED: la luminosa pantalla LED fácil de leer muestra la lectura de presión, el contador de trabajos/tiempo de vida/galones y los autodiagnósticos.
- Sistema de protección de la bomba WatchDog: evita que la bomba sufra daños cuando la



17X989
TMAX 6912 ELECTRIC
TEXTURE SPRAYER

Provides the capability and performance to spray almost all interior and exterior texture applications.

- 120V MaxPower DC Motor
- SmartControl 3.0
- T-Max Lance Gun
- Industry-Proven Endurance Pump
- Precision Advantage Drive
- Hoses & Applicators

Proporciona capacidad y rendimiento para rociar casi todas las aplicaciones de texturas interiores y exteriores.

- Motor de CC MaxPower de 120 V
- SmartControl 3.0
- Pistola lanza T-Max
- Bomba Endurance comprobada en la industria
- Accionador Advantage de precisión
- Mangueras y aplicadores



25M800
TOUGHTEK F800E FIREPROOFING
SYSTEM

Designed with Graco's patent-pending piston pump technology and an efficient direct drive motor, the ToughTek F800e sprays up to 40 bags an hour while plugged into a standard 240V, 30A outlet.

- Direct Drive Brushless Motor
- Lightweight Molded Hopper
- Easy-to-use Control Box
- Lightweight, Portable Machine
- 2" Male Camlock Outlet
- Quick Disconnect Inlet Clamps

Diseñada con tecnología de bomba de pistón con patente pendiente de Graco y un eficiente motor de accionamiento directo, la ToughTek F800e rocía hasta 40 sacos por hora mientras está enchufada en un tomacorriente estándar de 240 V, 30 A.

- Motor de accionamiento directo sin escobillas
- Tolva moldeada ligera
- Caja de control fácil de usar
- Máquina ligera y portátil
- Salida de leva de fijación macho de 2 pulgadas
- Abrazaderas de la entrada de desconexión rápida



25M081
TOUGHTEK CM40 CONTINUOUS
MIXER SYSTEM

Ideal for larger projects, the ToughTek CM40 continuous mixer will improve your crew's production rates with an output of up to 300 bags per hour of self-leveling underlayment.

- Easy to operate, easy to move
- Plug and play – CM40 rated for a 230V circuit
- Variable pump output lets you adjust material flow
- Flow rate: 18 gpm (70 lpm)
- Output (underlayment): 300 bags/hr / up to 150 cubic feet (based on 50-lb/22.6 kg bags)
- Hopper capacity: 16 gal / 2.2 cubic ft
- Power requirements: 230V, 30A, 1-ph or 230V, 30A, 3-ph

Ideal para proyectos más grandes, la mezcladora continua ToughTek CM40 mejorará las tasas de producción de su cuadrilla de trabajadores con una producción de hasta 300 sacos por hora de contrapiso autonivelador.

- Fácil de utilizar, fácil de trasladar
- Se enchufa y listo, con clasificación CM40 para un circuito de 230 V
- La salida de bomba variable le permite a usted ajustar el caudal de material
- Caudal: 18 gpm (70 lpm)
- Producción (contrapiso): 300 sacos/h / hasta 150 pies cúbicos (basado en sacos de 50 lb/22.6 kg)
- Capacidad de la tolva: 16 gal. / 2.2 pies cúbicos
- Requisitos de alimentación: 230 V, 30 A, 1 fase o 230 V, 30 A, 3 fases



25A500
TOUGHTEK F340E

Engineered with piston pump technology, ToughTek Fireproofing Pumps deliver high pressures to move fireproofing materials through long hose lengths.

- Piston pump technology easily fireproofing materials
- Gets projects done faster with high-pressure performance
- Electric operation – plugs into a standard 120V, 15A wall outlet
- Long lasting wear parts for more uptime, less downtime
- Easy to use, simple to maintain
- Ideal for fireproofing over structural steel or spray foam insulation.

Diseñadas con tecnología de bomba de pistón, las bombas ignifugantes ToughTek producen altas presiones para mover los materiales ignifugantes a través de tramos de manguera largos.

- La tecnología de bomba de pistón mueve fácilmente los materiales ignifugantes
- Permite realizar los proyectos más rápidamente con gran rendimiento a alta presión
- Funcionamiento eléctrico: se enchufa en un tomacorriente de pared estándar de 120 V, 15 A
- Piezas de desgaste de larga duración para ofrecer más tiempo de actividad y menos tiempo de inactividad
- Fáciles de usar, sencillas de mantener
- Ideales para ignifugar sobre acero estructural o rociar aislamiento de espuma.

CM10

PANEL FABRICATOR

PanelMax CM10 was designed for on-site convenience. This compact and easily portable machine brings PanelMax precision to any jobsite. A companion to the industry-acclaimed PanelMax ST48 and FT30, CM10 creates perfect cuts and corners on interior gypsum.

- Portable case with wheels - standard
- Fast and easy set-up
- 10ft capacity
- Milling & sawing capability
- Comes standard with a 1000 watt milling unit & one 90° bit

La PanelMax CM10 se diseñó para ofrecer conveniencia en el sitio. Esta máquina compacta y fácilmente portátil lleva la precisión de la PanelMax a cualquier sitio de construcción. Compañera de la PanelMax ST48 y la FT30 aclamadas por la industria, la CM10 crea cortes perfectos y esquinas perfectas en yeso interior.

- Maletín portátil con ruedas: estándar
- Configuración rápida y fácil
- 10 pies de capacidad
- Capacidad de molienda y aserrado
- Viene estándar con una unidad de molienda de 1000 W y una broca de 90°



PANEL Max



TECHNICAL DATA

- CUTTING LENGTH: UP TO 10.8-FT WITH AN EXTENSION RAIL
- FEED: MAX. 26.3-FT/MIN, THAT CAN BE CONTROLLED
- CUTTING DEPTH SAW: UP TO 1.3 IN (OPTIONAL)
- CONNECTED LOAD: 120V, 50 HZ
- OUTPUT: MAX. 1,3 KW
- REPLACEMENT AGGREGATE: MILL OR SAW (OPTIONAL)

HYBRID

CNC ENABLED PANEL FABRICATION

The new Hybrid CNC machine's foundation is the job-proven PanelMax ST48. Hybrid's new traveler includes a large touch-panel interface and intuitive software making it easy to create and produce CNC designs for drywall without having to do any CNC programming. No special programming skills are needed to operate PanelMax Hybrid. Hybrid's software includes built-in presets including circles and different standard cut out and workflow shapes.

- Fully automated milling and sawing
- Automatically converts illustration formats
- Profile drawings can be saved for future use
- Solid, dependable German engineered design
- Full panel fabrication capable
- Dust-free operation

La base de la nueva máquina CNC híbrida es la PanelMax ST48 comprobada en el trabajo. El nuevo dispositivo de desplazamiento de la máquina híbrida incluye una interfaz grande de panel táctil y software intuitivo, lo cual facilita la creación y producción de diseños CNC para panel de yeso sin tener que hacer ninguna programación de CNC. No se necesitan habilidades de programación especiales para operar la PanelMax híbrida. El software de la máquina híbrida incluye preajustes incorporados, entre los cuales se encuentran círculos y diferentes formas estándar de corte de aberturas y flujo de trabajo.

- Molienda y aserrado completamente automatizados
- Convierte automáticamente los formatos de ilustración
- Los dibujos de perfiles se pueden almacenar para uso futuro
- Sólido y confiable diseño de concepción alemana
- Capaz de fabricar paneles completos
- Utilización libre de polvo

PANEL Max



TECHNICAL DATA

- CUTTING LENGTH: UP TO 144.7-IN (12-FT)
- CUTTING WIDTH: UP TO 59.05-IN
- CUTTING DEPTH: UP TO 2.44-IN
- MILLING DEPTH: UP TO 2-IN
- BOARD THICKNESS: UP TO 3-IN
- TOTAL WEIGHT: APPR. 1,110-LB
- POWER REQUIREMENTS: 480V/16A; 3-PHASE

FT30

PANEL FABRICATION TABLE

FT30 can be set up and operational in minutes. It's unique folding design allows it to be folded and transported from one floor to the next using standard construction elevators. FT30 also has casters on the center legs so it can be easily moved to its next job location.

- Unfolds and sets up ready to work in minutes
- Easy to transport around the job site
- Requires minimal storage space
- Fits easily into an elevator or panel truck
- 4 x 12-ft capacity with optional table extension

La FT30 se puede configurar y tener operacional en minutos. Su diseño plegable especial permite plegarla y transportarla de un piso al siguiente utilizando elevadores de construcción estándar. La FT30 también tiene ruedecillas en las patas centrales, por lo que se puede trasladar fácilmente a la ubicación de su próximo trabajo.

- Se despliega y configura de manera que está lista para trabajar en minutos
- Fácil de transportar por el sitio de construcción
- Requiere un espacio de almacenamiento mínimo
- Cabe fácilmente en una carretilla elevadora o de paneles
- Capacidad de 4 x 12 pies con extensión de la mesa opcional

PANEL Max



TECHNICAL DATA

- CUTTING LENGTH: UP TO 98.43"
- CUTTING WIDTH: UP TO 59.05"
- CUTTING DEPTH: UP TO 2.44"
- MILLING DEPTH: UP TO 2"
- BOARD THICKNESS: UP TO 3"
- TOTAL WEIGHT: APPR. 330LBS
- POWER REQUIREMENTS: 110V 50/60 HZ
- POWER CONSUMPTION: 2.5 KW MAX

ST48

PANEL FABRICATION TABLE

Panelmax ST48 is the industry leading shop fabrication machine capable of handling material up to 54-in x 12-ft with its table extension up to 14-ft. Tables can be connected together to process even longer material.

- Standard table handles material up to 54" X 12'
- Handles 14' material with 55 inch table extension
- ST48 tables can be linked together for longer material
- ST48 includes a standard 4 x 12-ft capacity table and digital controlled traveler.

La Panelmax ST48 es la máquina de fabricación de taller líder de la industria, capaz de manejar material de hasta 54 pulgadas x 12 pies con su extensión de la mesa hasta 14 pies. Las mesas se pueden conectar juntas para procesar material aún más largo.

- La mesa estándar maneja material de hasta 54 pulgadas x 12 pies
- Maneja material de 14 pies con la extensión de la mesa de 55 pulgadas
- Las mesas ST48 se pueden enlazar juntas para material más largo
- La ST48 incluye una mesa de capacidad estándar de 4 x 12 pies y un dispositivo de desplazamiento controlado digitalmente.

PANEL Max



TECHNICAL DATA

- CUTTING LENGTH: UP TO 162.50"
- CUTTING WIDTH: UP TO 56"
- CUTTING DEPTH: UP TO 2.44"
- MILLING DEPTH: UP TO 2"
- BOARD THICKNESS: UP TO 3"
- TOTAL WEIGHT: APPR. 440LBS
- POWER REQUIREMENTS: 110V 50/60 HZ
- POWER CONSUMPTION: 2.5 KW MAX.

WARNER®



10998T
10W LED RECHARGEABLE WORKLIGHT 800 LUMEN

- Super bright LED provides 800 Lumens
- Cool touch LED technology
- No light bulb to break or replace- COB technology
- Durable die-cast aluminum housing
- 3.7V 5200mAh Li-ion Rechargeable Battery
- High & Low settings

- Las luces LED súper brillantes proporcionan 800 lúmenes
- Tecnología LED fría al tacto
- No hay bombilla que se pueda romper o que haya que reemplazar: tecnología COB
- Duradera carcasa de aluminio fundido a presión
- Batería recargable de ion Li de 3.7 V y 5200 mAh
- Ajustes de luminosidad alta y baja

WARNER®



11001T
20W LED WORKLIGHT, 1800 LUMEN

- Super bright LED provides 1800 Lumens
- Cool touch LED technology
- No light bulb to break or replace- COB technology
- Durable die-cast aluminum housing is mounted on a metal H-frame base
- Weatherproof on/off switch
- Power: 110V AC

- Las luces LED súper brillantes proporcionan 1800 lúmenes
- Tecnología LED fría al tacto
- No hay bombilla que se pueda romper o que haya que reemplazar: tecnología COB
- La duradera carcasa de aluminio fundido a presión está montada sobre una base metálica con armazón en H
- Interruptor de encendido y apagado a prueba de intemperie
- Alimentación: 110 V CA

WARNER®



Q11011
QL-1 LOW BOY 500WATT HALOGEN LIGHT

- 500W weatherproof fixture
- Continuous light - no switches
- Lights up to 5,000 square feet
- 5 feet, 16/3 AWG SJTOW cord
- 120V-60Hz, 500 Watts, 4.2 Amps, 10

- Accesorio de iluminación a prueba de intemperie de 500 W
- Luz continua: no hay interruptores
- Ilumina hasta 5,000 pies cuadrados
- Cable de alimentación 16/3 AWG SJTOW de 5 pies
- 120 V – 60 Hz, 500 W, 4.2 A, 10
- Pulverísez cada finición con una presión

WARNER®



11213
20W LED FOLDING RECHARGEABLE LIGHT 1600 LUMEN

- Super bright LED provides 1600 Lumens
- Cool touch LED technology
- No light bulb to break or replace- COB technology
- Durable die-cast aluminum housing is mounted on a metal base with non-skid feet
- 3.7V 8800mAh Li-ion Rechargeable Battery
- Includes charging cord and automobile charger
- Lumens: 1600 High/800 Low

- Las luces LED súper brillantes proporcionan 1600 lúmenes
- Tecnología LED fría al tacto
- No hay bombilla que se pueda romper o que haya que reemplazar: tecnología COB
- La duradera carcasa de aluminio fundido a presión está montada sobre una base metálica con pies antideslizantes
- Batería recargable de ion Li de 3.7 V y 8800 mAh
- Incluye cable de carga y cargador de automóvil
- Lúmenes: 1600 (ajuste alto)/800 (ajuste bajo)

WARNER®



11065
20W LED WORKLIGHT, 1600 LUMEN

The Warner 11065 work light features a telescopic tripod floor stand that provides stability and keeps your light from moving.

- One 20W light head with cool touch LED technology and COB technology
- 3'-5' telescopic tripod floor stand
- Quick release portable worklight
- Weatherproof on/off switch
- Includes 8' power cord
- 1 year limited warranty

La luz de trabajo Warner 11065 cuenta con un soporte de piso tipo trípode telescópico que proporciona estabilidad e impide que la luz se mueva.

- Una cabeza de luz de 20 W con tecnología LED fría al tacto y tecnología COB
- Soporte de piso tipo trípode telescópico de 3-5 pies
- Luz de trabajo portátil de liberación rápida
- Interruptor de encendido y apagado a prueba de intemperie
- Incluye un cable de alimentación de 8 pies
- Garantía limitada de 1 año



HEADXH135HD

DEWALT 135000 BTU HEATER

- Equipped with a 25°F-95°F thermostat.
- 10" Flat free tires for long lasting maintenance free use.
- Front barrel support and storage
- Recessed controls designed to reduce the risk of having the knobs or valves damaged on the jobsite.
- Roll cage style handles
- Continuous electronic ignition

- Equipado con un termostato de 25 a 95°F.
- Llantas antipunchaduras de 10 pulgadas para ofrecer un uso libre de mantenimiento y de larga duración.
- Soporte delantero del cilindro y área de almacenamiento
- Controles embutidos diseñados para reducir el riesgo de que los botones o las válvulas sufran daños en el sitio de construcción.
- Mangos estilo caja antivuelco
- Ignición electrónica continua



HEADXH190HD

DEWALT 190000 BTU HEATER

- Equipped with a 25°F-95°F thermostat.
- 10" Flat free tires for long lasting maintenance free use.
- Front barrel support and storage
- Recessed controls designed to reduce the risk of having the knobs or valves damaged on the jobsite.
- Roll cage style handles
- Continuous electronic ignition

- Equipado con un termostato de 25 a 95°F.
- Llantas antipunchaduras de 10 pulgadas para ofrecer un uso libre de mantenimiento y de larga duración.
- Soporte delantero del cilindro y área de almacenamiento
- Controles embutidos diseñados para reducir el riesgo de que los botones o las válvulas sufran daños en el sitio de construcción.
- Mangos estilo caja antivuelco
- Ignición electrónica continua



TC200V

HEATSTAR 200,000 BTU CONVECTION HEATER

- 75,000 - 200,000 BTU per hour
- For use with propane gas
- Heats up to 4700 sq.ft.
- Standing pilot for increased safety
- Insta-lock chamber for easy assembly
- No electricity required
- Fully assembled and ready to use
- Comes with 10ft hose and regulator

- 75,000 - 200,000 BTU por hora
- Para utilizarse con gas propano
- Calienta hasta 4700 pies cuadrados
- Piloto permanente para mayor seguridad
- Cámara de fijación instantánea Insta-lock para facilitar el ensamblaje
- No se requiere electricidad
- Completamente ensamblado y listo para utilizarse
- Viene con una manguera de 10 pies y un regulador



742G

ALLIED BUCKET HEATER

- Designed to heat water
- While immersed in water, the heater will heat continuously past 150° F and towards boiling
- The unit comes with a stainless steel guard and has an automatic shut - off
- Comes with a 6' cord
- Designed to rest easily inside a 5 gallon bucket

- Diseñado para calentar agua
- Mientras esté sumergido en agua, el calentador calentará continuamente más allá de 150 °F y hacia el punto de ebullición
- La unidad viene con un protector de acero inoxidable y cuenta con apagado automático
- Viene con un cable de alimentación de 6 pies
- Diseñado para apoyarse fácilmente dentro de una cubeta de 5 galones

AUTOMATED DRYWALL CORNER SYSTEM / SISTEMA AUTOMATIZADO PARA ESQUINAS DE PANEL



STRAUTOPRO AUTO PRO BEAD TOOL

The AUTOPRO machine is the first and only automated system for custom cutting corners of any length or angle.

The AUTOPRO machine uses NO-COAT PRO CORNER to produce ready-to-install corners with joint compound applied, cut to any length.

- Portable size is light-weight and easy to maneuver
- Replaces pre-cut stick lengths and roll products with one simple 250' (76.2 m) roll
- Easy-to-use keypad simplifies operation and stores custom measurements
- 5 gallon (19 L) hopper is easy-to-fill, clean and cap

La máquina AUTOPRO es el primer y único sistema automatizado para cortar a medida esquinas de cualquier longitud y ángulo.

La máquina AUTOPRO utiliza NO-COAT E PRO CORNER para producir esquinas listas para instalar con compuesto para uniones aplicado, cortadas con cualquier longitud.

- El tamaño portátil es ligero y fácil de maniobrar
- Reemplaza los tramos adhesivos precortados y los productos en rollo por un rollo sencillo de 250 pies (76.2 m)
- El teclado fácil de usar simplifica la utilización y almacena medidas personalizadas
- La tolva de 5 galones (19 l) es fácil de llenar, limpiar y tapar



318042 250' NO-COAT PRO DRYWALL CORNER TAPE

NO-COAT PRO offers a durable, easy-to-finish corner that will not crack or dent.

- Forms outside 90, inside 90 and odd angle corners
- For faster installations, use with the AutoPRO Automated Drywall Corner machine
- Designed with a tapered profile for fast & easy finishing
- Permanently bonds corner to the drywall, accepts any finish

La NO-COAT E PRO ofrece una esquina duradera y fácil de acabar que no se agrietará ni abollará.

- Forma esquinas exteriores de 90 grados, interiores de 90 grados y de ángulos inusuales
- Para instalaciones más rápidas, utilízela con la máquina automatizada para esquinas de panel de yeso AutoPRO
- Diseñada con un perfil cónico para realizar acabados de manera rápida y fácil
- Une permanentemente la esquina al panel de yeso, acepta cualquier acabado

3

POWER TOOLS

HERRAMIENTAS ELECTRICAS





7800

PORTER CABLE 4.7 AMP DRYWALL SANDER WITH 13-FOOT HOSE

- Variable-speed dial settings from 1,400-2,000 RPM.
- Brush-type skirt surrounds sanding pad, preventing gouging of wall joints and aiding in dust collection.
- Motor located on opposite end of handle from sanding head, providing balance and control.
- Built-in dust collection hose.
- 1/4" vacuum hose is 13' long so that large areas can be sanded in one set up.
- Articulating sanding head allows user to sand wide area without changing positions.

- Ajustes del dial de velocidad variable de 1,400 a 2,000 RPM.
- La falda tipo cepillo rodea a la almohadilla de lijar, con lo cual evita causar estrías en las uniones de la pared y ayuda en la recolección de polvo.
- Motor ubicado en el extremo opuesto del mango respecto al cabezal lijador, con lo cual proporciona equilibrio y control.
- Manguera de recolección de polvo incorporada.
- La manguera de aspiración de 1/4 de pulgada mide 13 pies de longitud, por lo que las áreas grandes se pueden lijar sin tener que cambiar la configuración.
- El cabezal lijador articulado permite al usuario lijar un área ancha sin cambiar posiciones.



FLEX

423335

FLEX GIRAFFE SANDER WITH 12' HOSE

- Antistatic 12' suction hose
- Suction hoods with brush ring.
- Cardanic suspension
- Flexible drive shaft
- Extremely light - only 8.9 lbs
- Completely cast electronic components prevent damage due to metal dust; 3-fold winding protection reduces motor wear and increases service life.
- Optimally balanced - for comfortable handling
- Easily extendible - for high flexibility

- Manguera de succión antiestática de 12 pies
- Cubiertas de succión con anillo con cepillo.
- Suspensión cardán
- Eje de transmisión flexible
- Sumamente ligera, solo 8.9 lb
- Los componentes electrónicos completamente fundidos previenen los daños causados por el polvo metálico; la protección de triple bobinado reduce el desgaste del motor y aumenta la vida de servicio.
- Equilibrada óptimamente: para ofrecer un manejo cómodo
- Fácilmente extensible: para brindar una alta flexibilidad



FLEX

GE5

FLEX GIRAFFE® WALL AND CEILING SANDER

- Suction hoods with brush ring.
- Cardanic suspension
- Flexible drive shaft
- Extremely light - only 8.9 lbs
- Completely cast electronic components prevent damage due to metal dust; 3-fold winding protection reduces motor wear and increases service life.
- Optimally balanced - for comfortable handling
- Easily extendible - for high flexibility

- Cubiertas de succión con anillo con cepillo.
- Suspensión cardán
- Eje de transmisión flexible
- Sumamente ligera, sólo 8.9 lb
- Los componentes electrónicos completamente fundidos previenen los daños causados por el polvo metálico; la protección de triple bobinado reduce el desgaste del motor y aumenta la vida de servicio.
- Equilibrada óptimamente: para ofrecer un manejo cómodo
- Fácilmente extensible: para brindar una alta flexibilidad



FLEX

427632

FLEX GIRAFFE SANDER WITH 12' HOSE & TRANSPORT BAG

- Antistatic 12' suction hose
- Suction hoods with brush ring.
- Cardanic suspension
- Flexible drive shaft
- Extremely light - only 8.9 lbs
- Completely cast electronic components prevent damage due to metal dust; 3-fold winding protection reduces motor wear and increases service life.
- Optimally balanced - for comfortable handling
- Easily extendible - for high flexibility
- Innovative bag - for easy transportation

- Manguera de succión antiestática de 12 pies
- Cubiertas de succión con anillo con cepillo.
- Suspensión cardán
- Eje de transmisión flexible
- Sumamente ligera, solo 8.9 lb
- Los componentes electrónicos completamente fundidos previenen los daños causados por el polvo metálico; la protección de triple bobinado reduce el desgaste del motor y aumenta la vida de servicio.
- Equilibrada óptimamente: para ofrecer un manejo cómodo
- Fácilmente extensible: para brindar una alta flexibilidad
- Bolsa innovadora: para facilitar el transporte



DWV010
DEWALT 8 GALLON HEPA VACUUM

- Powerful 15 Amp motor delivers 130 CFM of airflow for maximum suction
- Automatic Filter Clean pulses every 30 seconds for continuous operations
- Power Tool Actuation controls the On/Off operations of the vacuum with a power tool
- Lightweight and portable weighing in at only 27 lbs

- El potente motor de 15 A produce 130 PCM de caudal de aire para ofrecer la máxima succión
- La limpieza automática del filtro pulsa cada 30 segundos para realizar operaciones continuas
- El accionamiento por herramienta eléctrica controla las operaciones de encendido y apagado de la aspiradora con una herramienta eléctrica
- Ligera y portátil, con un peso de solo 27 lb



DWV012
DEWALT 10 GAL HEPA VACUUM

- Automatic Filter Clean pulses every 30 seconds for continuous operations without stopping to clean filter. This is a HEPA vac that comes with HEPA filters
- Powerful 15-Amp motor delivers 140 CFM of airflow for maximum suction
- Power Tool Actuation controls the On/Off operations of the vacuum with a power tool
- Variable Suction controls vacuum's power consumption and amount of suction
- Telescoping handle for easy transport

- La limpieza automática del filtro pulsa cada 30 segundos para realizar operaciones continuas sin detenerse para limpiar el filtro. Esta es una aspiradora HEPA que viene con filtros HEPA
- El potente motor de 15 A produce 140 PCM de caudal de aire para ofrecer la máxima succión
- El accionamiento por herramienta eléctrica controla las operaciones de encendido y apagado de la aspiradora con una herramienta eléctrica
- La succión variable controla el consumo de potencia y la cantidad de succión de la aspiradora



444251
FLEX 9 GAL HEPA VACUUM

- High-Performance -12 Amp Turbine ideal for high suction capacity
- Continuous Automatic Flat Filter cleaning ensures no loss of suction
- Rotary Switch - Offers flow rate control
- Dry/Wet Compatible
- Soft Start Feature - Stops voltage peaks
- Dust-Protected Anti-Static Finish
- Safety vacuum cleaner approved for dust class I- suitable for all dust with oel value >1 mg/m³

- Alto Rendimiento: Turbina ideal para ofrecer alta capacidad de succión de 12amperos
- Filtro Plano Continuo Automático - La limpieza asegura que no haya pérdida de succión
- Interruptor Rotativo- Ofrece control del caudal de aire
- Compatible Con Residuos Secos/Mojados
- Función De Arranque Suave - Detiene los picos de voltaje
- Acabado Antiestático Con Protección Antipolvo
- Aspiradora De Seguridad Aprobada para polvo de clase L: Adecuada para todos los tipos de polvo con un valor OEL >1 mg/m³



VK811PH
VACMASTER 8 GAL HEPA VACUUM

- 8 Gallon* Crush Proof Polypropylene Tank
- Certified HEPA System (99.97% efficient on .3 microns)
- 2-Stage Industrial Motor
- Max Waterlift 78 Inch
- Max CFM 125 @ 2-1/2 In. Orifice

- Tanque de polietileno inaplastable de 8 galones*
- Sistema HEPA certificado (99.97% eficiente en 0.3 micrones)
- Motor industrial de 2 etapas
- Elevación de agua máx. 78 pulgadas
- Máx. PCM 125 en orificio de 1/2 pulgada



DW272

DEWALT 4,000 RPM VSR 6.3 AMP DRYWALL SCREWGUN

The DW272 4,000 rpm VSR Drywall Scrugun is built tough, yet it is lightweight to increase endurance.

- Metal gear housing for jobsite durability and increased reliability
- Depth-sensitive, "set and forget" nosepiece for consistent fastener depth
- Two-finger trigger for increased comfort and ease of use
- Helical-cut steel and heat-treated gears for long life and durability
- Lightweight with excellent ergonomics

La pistola atornilladora Scrugun para panel de yeso VSR de 4,000 rpm DW272 está construida para ser robusta, pero al mismo tiempo es ligera para brindar mayor resistencia.

- Carcasa de engranajes de metal para ofrecer durabilidad y mayor confiabilidad en el sitio de construcción
- Pieza de punta "ajustar y olvidar" sensible a la profundidad para lograr una profundidad uniforme de los sujetadores
- Gatillo de dos dedos para ofrecer mayor comodidad y facilidad de uso
- Engranajes de acero de corte helicoidal y termotratados para ofrecer una larga vida útil y gran durabilidad
- Ligera con excelente ergonomía



DW252

DEWALT 4,000 RPM LIGHTWEIGHT VSR 6.0 AMP DRYWALL SCREWGUN

The DW252 4,000 rpm Lightweight VSR Drywall Scrugun is ideal for depth sensitivity for consistent fastener depth.

- Depth-sensitive, "set and forget" nosepiece for consistent fastener depth
- 4,000 RPM high speed motor for production drywall hanging
- Two-finger trigger for increased comfort and ease of use
- Helical-cut steel and heat-treated gears for long life and durability
- Lightweight with excellent ergonomics

La pistola atornilladora ligera Scrugun para panel de yeso VSR de 4,000 rpm DW252 es ideal por su sensibilidad para que los sujetadores alcancen una profundidad uniforme.

- Pieza de punta "ajustar y olvidar" sensible a la profundidad para lograr una profundidad uniforme de los sujetadores
- Motor de alta velocidad de 4,000 RPM para colgar panel de yeso de producción
- Gatillo de dos dedos para ofrecer mayor comodidad y facilidad de uso
- Engranajes de acero de corte helicoidal y termotratados para ofrecer una larga vida útil y gran durabilidad
- Ligera con excelente ergonomía



DW255

DEWALT 5,300 RPM HIGH SPEED VSR DRYWALL SCREWGUN

The DW255 5,300 rpm Lightweight VSR Drywall Scrugun is ideal for depth sensitivity for consistent fastener depth.

- Depth-sensitive, "set and forget" nosepiece for consistent fastener depth
- 5,300 RPM high speed motor for production drywall hanging
- Two-finger trigger for increased comfort and ease of use
- Helical-cut steel and heat-treated gears for long life and durability
- Lightweight with excellent ergonomics

La pistola atornilladora ligera Scrugun para panel de yeso VSR de 5,300 rpm DW255 es ideal por su sensibilidad para que los sujetadores alcancen una profundidad uniforme.

- Pieza de punta "ajustar y olvidar" sensible a la profundidad para lograr una profundidad uniforme de los sujetadores
- Motor de alta velocidad de 5,300 RPM para colgar panel de yeso de producción
- Gatillo de dos dedos para ofrecer mayor comodidad y facilidad de uso
- Engranajes de acero de corte helicoidal y termotratados para ofrecer una larga vida útil y gran durabilidad



DCF620D2

20V MAX XR® DRYWALL SCREWGUN KIT 2.0 AMP

- Up to 4,400 rpm provides greater speed than DW272 corded screwgun
- Balanced and ergonomic - comparable to the DW272 DEWALT corded screwgun
- DEWALT built brushless motor delivers maximum runtime
- Nosecone locks on securely and is easily removed while maintaining consistent screw depth
- LED provides light and increased visibility

- Hasta 4,400 rpm, con lo cual proporciona mayor velocidad que la pistola atornilladora alámbrica DW272
- Equilibrada y ergonómica: comparable con la pistola atornilladora alámbrica DEWALT DW272
- El motor sin escobillas construido por DEWALT produce un tiempo de funcionamiento máximo
- El cono de punta se fija firmemente y se retira fácilmente a la vez que se mantiene una profundidad uniforme de los tornillos
- La luz LED proporciona iluminación y una mayor visibilidad



DCF620M2

20V MAX XR® DRYWALL SCREWGUN KIT 4 AMP

- Up to 4,400 rpm provides greater speed than DW272 corded screwgun
- Balanced and ergonomic - comparable to the DW272 DEWALT corded screwgun
- DEWALT built brushless motor delivers maximum runtime
- Nosecone locks on securely and is easily removed while maintaining consistent screw depth
- LED provides light and increased visibility

- Hasta 4,400 rpm, con lo cual proporciona mayor velocidad que la pistola atornilladora alámbrica DW272
- Equilibrada y ergonómica: comparable con la pistola atornilladora alámbrica DEWALT DW272
- El motor sin escobillas construido por DEWALT produce un tiempo de funcionamiento máximo
- El cono de punta se fija firmemente y se retira fácilmente a la vez que se mantiene una profundidad uniforme de los tornillos
- La luz LED proporciona iluminación y una mayor visibilidad



DW130V

DEWALT 1/2" SPADE HANDLE DRILL

- Variable speed reversing switch avoids air bubbles when mixing mud and offers greater control when drilling
- 9 Amp, 120V motor provides enough power for any job site application

- El interruptor de inversión de velocidad variable evita las burbujas de aire al mezclar compuesto y ofrece mayor control al taladrar
- El motor de 9 A y 120 V proporciona suficiente potencia para cualquier aplicación en el sitio de construcción



RGDSHD12

RENEGADE MIXING DRILL

- Variable speed reversing switch avoids air bubbles when mixing mud and offers greater control when drilling
- 0-550 RPM provides increased torque for drilling and mud mixing

- El interruptor de inversión de velocidad variable evita las burbujas de aire al mezclar compuesto y ofrece mayor control al taladrar
- Las 0-550 RPM proporcionan una mayor fuerza de torsión para taladrar y mezclar compuesto



DW660

DEWALT ROUTER / CUT-OUT

- Variable speed reversing switch avoids air bubbles when mixing mud and offers greater control when drilling
- 9 Amp, 120V motor provides enough power for any job site application

- El interruptor de inversión de velocidad variable evita las burbujas de aire al mezclar compuesto y ofrece un mayor control al taladrar
- El motor de 9 A y 120 V proporciona suficiente potencia para cualquier aplicación en el sitio de construcción



DCS551B

DEWALT 20V CORDLESS CUT-OUT

- Variable speed reversing switch avoids air bubbles when mixing mud and offers greater control when drilling
- 0-550 RPM provides increased torque for drilling and mud mixing
- Battery not included

- El interruptor de inversión de velocidad variable evita las burbujas de aire al mezclar compuesto y ofrece un mayor control al taladrar
- Las 0-550 RPM proporcionan una mayor fuerza de torsión para taladrar y mezclar compuesto
- Batería no incluida



DCS551D2

DEWALT 20V DRYWALL CUT OUT TOOL

- 26,000 RPM motor delivers fast cutting in drywall, acoustical ceiling tiles, plywood
- Tool-free bit change allows for fast and easy bit changing without a wrench

- El motor de 26,000 RPM produce cortes rápidos en panel de yeso, baldosas de techo acústicas y madera contrachapada
- El cambio de broca sin necesidad de herramientas permite cambiar la broca de manera rápida y fácil sin una llave de tuerca



DCK263D2

DEWALT 20V COMBO KIT GUN/ROUTER

The DEWALT DCK263D2 Cordless Combo Kit contains a brushless drywall screwdriver and cutout tool. This combo kit is ideal for most drywall applications.

- ScrewGun offers maximum speed and control and high torque capability for wide range of applications
- Cut-out Tool offers a 26,000 RPM motor, with tool-free bit change

El kit de combinación inalámbrico DEWALT DCK263D2 contiene una herramienta atornilladora y de corte de aberturas para panel de yeso sin escobillas. Este kit de combinación es ideal para la mayoría de aplicaciones de panel de yeso.

- La pistola atornilladora ofrece máxima velocidad y máximo control, así como capacidad de alta fuerza de torsión para una amplia gama de aplicaciones
- La herramienta de corte de aberturas cuenta con un motor de 26,000 RPM, con cambio de broca libre de herramientas



ITEM NUMBER	DESCRIPTION
300G	6X 1 1/4" COARSE BUGLE HEAD SCREWS
200G	6X 1 1/8" COARSE BUGLE HEAD SCREWS



ITEM NUMBER	DESCRIPTION
HT114	6X 1 1/4" COURSE DRYWALL SCREWS
HT118	6X 1 1/8" COARSE DRYWALL SCREWS



DW083CG

GREEN 3 SPOT BEAM LASER

Introducing DEWALT's new GREEN 3 Spot Laser. This laser features 3 total beams and is built to last. It's green beam provides enhanced visibility and extended range.

- +/- 1/8 in. Accuracy at 30 ft.
- 1 m drop rating
- Runtime +/- 40 hrs. all dots

Presentamos el nuevo láser de 3 puntos VERDES de DEWALT. Este láser cuenta con 3 rayos totales y está construido para durar. Su rayo verde proporciona una mejor visibilidad y una extensión del alcance.

- +/- 1/8 de pulgada de precisión a 30 pies.
- Índice de caída de 1 m
- Tiempo de funcionamiento +/- 40 h, todos los puntos



DW083K

RED 3 BEAM POINT LASER

The DW083K 3 Beam Laser Pointer includes a single lever power switch that locks the pendulum in the off position for added durability and the built-in magnetic pivoting bracket mounts easily on metal surfaces.

- +/- 1/4 in. accuracy at 100 ft.
- IP54 Debris/Water Resistance rating

El puntero láser de 3 rayos DW083K incluye un interruptor de alimentación de una sola palanca que bloquea el péndulo en la posición de apagado para ofrecer durabilidad adicional y el soporte pivotante magnético incorporado se monta fácilmente sobre superficies metálicas.

- +/- 1/4 de pulgada de precisión a 100 pies.
- Clasificación IP54 de resistencia a residuos/agua



DW088CG

GREEN CROSS LINE LASER

The DW088CG Cross Line Laser is a green beam model of our existing DW088K laser that has a great range that projects bright crossing horizontal and vertical lines for various leveling and layout applications.

- +/- 1/8" Accuracy at 30 ft
- IP54 Debris/Water Resistance rating

El láser de líneas en cruz DW088CG es un modelo de rayo verde de nuestro láser DW088K existente que tiene un gran alcance y proyecta líneas horizontales y verticales en cruz brillantes para diversas aplicaciones de nivelación y disposición.

- +/- 1/8 de pulgada de precisión a 30 pies
- Clasificación IP54 de resistencia a residuos/agua



DW088K

RED SELF LEVELING LASER

The DW088K Cross Line Laser maintains full brightness for visibility and extends range that projects bright crossing horizontal and vertical lines for various leveling and layout applications.

- +/- 1/8" Accuracy at 30 ft
- Projects bright crossing horizontal and vertical lines for various leveling and layout applications
- Takes AA Batteries

El láser de líneas en cruz DW088K mantiene una luminosidad completa para ofrecer visibilidad y extiende el alcance con que proyecta líneas horizontales y verticales en cruz brillantes para diversas aplicaciones de nivelación y disposición.

- +/- 1/8 de pulgada de precisión a 30 pies
- Proyecta líneas horizontales y verticales en cruz brillantes para diversas aplicaciones de nivelación y disposición
- Utiliza baterías AA



DW088LG

CROSS LINE GREEN LASER-12V

The DW088LG 12V MAX* Green Cross Line Laser features 12V MAX* Lithium-ion rechargeable power tool battery platform, self leveling cross lines, and green beam laser technology. Over-molded housing and IP65 are debris and water resistant.

- +/- 1/8" Accuracy at 30 ft
- Self-leveling cross lines project bright crossing horizontal and vertical lines for various leveling and layout applications

El láser de líneas en cruz verdes de 12 V MÁX.* DW088LG cuenta con una plataforma para baterías de herramientas eléctricas recargables de ion litio de 12 V MÁX.*. líneas en cruz autoniveladoras y tecnología láser de rayo verde. La carcasa sobremoldeada y el IP65 son resistentes a los residuos y al agua.

- +/- 1/8 de pulgada de precisión a 30 pies
- Las líneas en cruz autoniveladoras proyectan líneas horizontales y verticales en cruz brillantes para diversas aplicaciones de nivelación y disposición



DW089LG

3-BEAM GREEN LASER-12V

The DW089LG 12V MAX* Green 3x360 Laser features a 12V MAX* Lithium-ion rechargeable power tool battery platform and green beam laser technology. Over-molded housing and IP65 are debris and water resistant.

- +/- 1/8" Accuracy at 30 ft
- Full-time pulse mode allows use with detector, maintains full brightness for visibility, and extends range

El láser 3x360 verde de 12 V MÁX.* DW089LG cuenta con una plataforma para baterías de herramientas eléctricas recargables de ion litio de 12 V MÁX.* y tecnología láser de rayo verde. La carcasa sobremoldeada y el IP65 son resistentes a los residuos y al agua.

- +/- 1/8 de pulgada de precisión a 30 pies
- El modo de pulso de tiempo completo permite el uso con detector, mantiene una luminosidad completa para ofrecer visibilidad y prolonga el alcance

*Maximum initial battery pack voltage (measured without a workload) is 12 volts. Measured under a workload, nominal voltage is 10.8. *La tensión inicial máxima del paquete de batería (medida sin carga de trabajo) es 12 V. Medida bajo carga, la tensión nominal es 10.8.

4

HANGING & COMPOUND TOOLS

COLGANTES Y HERRAMIENTAS
COMPUESTAS



HAMMERS / MARTILLOS

DW Tools™



14129
14 OZ 16" DRYWALL
HAMMER

OX
UNLEASH THE POWER



OX-P082614
14 OZ PRO DRYWALL
HAMMER

**WAL-BOARD
TOOLS**



02-002
12 OZ 16" DRYWALL
HAMMER

BRAND	ITEM NUMBER	DESCRIPTION
DW TOOLS	14128	14 OZ 14" DRYWALL HAMMER
DW TOOLS	14129	14 OZ 16" DRYWALL HAMMER
DW TOOLS	14131	16" REPLACEMENT HAMMER HANDLE
DW TOOLS	14130	14" REPLACEMENT HAMMER HANDLE
MARSHALLTOWN	DH886	12 OZ 16" DRYWALL HAMMER
MARSHALLTOWN	DH764	12 OZ 14" DRYWALL HAMMER
OX TOOLS	OX-P082614	14 OZ PRO DRYWALL HAMMER
RENEGADE	RGDDHS16	16 OZ DRYWALL HAMMER
VAUGHN	DXTH14	14" TARGET HEAD HAMMER
VAUGHN	DXTH17	17" TARGET HEAD HAMMER
WAL-BOARD	02-001	12 OZ 14" DRYWALL HAMMER
WAL-BOARD	02-002	12 OZ 16" DRYWALL HAMMER
WAL-BOARD	02-003	16 OZ 14" DRYWALL HAMMER

T-SQUARES / REGLAS T

MARSHALLTOWN



27HD
48" HEAVY DUTY
T-SQUARE 3/16"

RENEGADE



RGDTSQ54
54" HEAVY DUTY
T-SQUARE

USG SHEETROCK Tools



340416
48" HEAVY DUTY
T-SQUARE

BRAND	ITEM NUMBER	DESCRIPTION
MARSHALLTOWN	27HD	48" HEAVY DUTY T-SQUARE 3/16"
MARSHALLTOWN	HT54	54" HEAVY DUTY T-SQUARE 3/16"
OX TOOLS	OX-P501348	48" ADJUSTABLE T-SQUARE
RENEGADE	RGDTSQ48	48" HEAVY DUTY T-SQUARE
RENEGADE	RGDTSQ54	54" HEAVY DUTY T-SQUARE
USG SHEETROCK TOOLS	340416	48" HEAVY DUTY T-SQUARE
USG SHEETROCK TOOLS	340417	54" HEAVY DUTY T-SQUARE
WAL-BOARD	09-001	48" T-SQUARE
WAL-BOARD	09-008	54" T-SQUARE

CUTTING KNIVES & BLADES / CUCHILLAS Y NAVAJAS

GRABBER
CONSTRUCTION PRODUCTS



GUKNIFE
QUICK BLADE CHANGE
FIXED KNIFE

IRWIN



2081101
UTILITY KNIFE
FIXED BLADE

OX
UNLEASH THE POWER



OX-P220801
PRO SOFT GRIP
UTILITY KNIFE

BRAND	ITEM NUMBER	DESCRIPTION
DW TOOLS	02095	FIXED UTILITY KNIFE
GRABBER	GUKNIFE	QUICK BLADE CHANGE FIXED KNIFE
IRWIN	2081101	UTILITY KNIFE FIXED BLADE
MARSHALLTOWN	998	FIXED BLADE UTILITY KNIFE
OX TOOLS	OX-P220801	PRO SOFT GRIP UTILITY KNIFE
SMART BLADES	AB105	QUICK CHANGE UTILITY KNIFE
WAL-BOARD	15-001	DELUXE UTILITY KNIFE

BLADES / BLADES

BRAND	ITEM NUMBER	DESCRIPTION
SMART BLADES	02402	100 BLADE PACK
DEWALT	DWHT11004	HD UTILITY BLADES 75PK
DW TOOLS	02124	100PC BLADE DISPENSER
GRABBER	IB1992	UTILITY KNIFE BLADES 100PK
IRWIN	2084400	BI-METAL UTILITY BLADE 100PK
OX TOOLS	OX-P222110	PRO HD UTILITY BLADES 100PK
STANLEY	11-921	5 PACK UTILITY KNIFE BLADES



DW111
6 POCKET DRYWALL TOOL POUCH



DW124
3 POCKET SINGLE POUCH NAIL BAG



DW148
HAMMER HOLDER NYLON LOOP



BRAND	ITEM NUMBER	DESCRIPTION
DW TOOLS	DW111	6 POCKET DRYWALL TOOL POUCH
DW TOOLS	DW1181	3 POCKET SPLIT LEATHER TOOL POUCH
DW TOOLS	DW124	3 POCKET SINGLE POUCH NAIL BAG
DW TOOLS	DW123	2 POCKET SUEDE NAIL BAG
DW TOOLS	DW166	10 POCKET LEATHER POUCH
DW TOOLS	DW179	2 POCKET 3 TOOL HOLDER
DW TOOLS	DW105	4 POCKET FULL GRAIN LEATHER POUCH
DW TOOLS	DW111L	6 POCKET DRYWALL TOOL POUCH (L)
DW TOOLS	DW125	2" LEATHER BELT
DW TOOLS	DW148	HAMMER HOLDER NYLON LOOP



OX-P263801
PRO DRYWALL POUCH



OX-P432004
PRO 4-PIECE FRAMERS RIG



OX-P263401
PRO HAMMER HOLDER



BRAND	ITEM NUMBER	DESCRIPTION
OX TOOLS	OX-P263801	PRO DRYWALL POUCH, LEATHER
OX TOOLS	OX-P263701	PRO 10 POCKET POUCH LEATHER
OX TOOLS	OX-P432004	PRO 4-PIECE FRAMERS RIG
OX TOOLS	OX-P263401	PRO HAMMER HOLDER, LEATHER
OX TOOLS	OX-P263303	PRO 3" LEATHER TOOL BELT



583SP
3 POCKET NAIL BAG



723SP
9 POCKET SUEDE POUCH



960XXL
2 3/4" WIDE LEATHER BELT XXL



BRAND	ITEM NUMBER	DESCRIPTION
HERITAGE	583SP	3 POCKET NAIL BAG
HERITAGE	725SP	5 POCKET SIDE KICK POUCH
HERITAGE	815R	6-POCKET POUCH
HERITAGE	485L	LEFT HAND TOOL POUCH
HERITAGE	723SP	9 POCKET SUEDE POUCH
HERITAGE	960	2" LEATHER BELT
HERITAGE	960L	2" LEATHER BELT LARGE
HERITAGE	960XXL	2 3/4" WIDE LEATHER BELT XXL



896
DRYWALL POUCH - FLAT



805
8 X 9 1/2" DRYWALL POUCH



871M
2" LEATHER BELT



BRAND	ITEM NUMBER	DESCRIPTION
MARSHALLTOWN	896	DRYWALL POUCH - FLAT
MARSHALLTOWN	805	8 X 9 1/2 DRYWALL POUCH
MARSHALLTOWN	871M	2" LEATHER BELT
MARSHALLTOWN	874	LEATHER HAMMER HOLDER



DG5433-1
10 POCKET APRON/BELT



485R
7 POCKET DRYWALL POUCH



16202
NYLON TOOL BAG

BRAND	ITEM NUMBER	DESCRIPTION
DEWALT	DG5433-1	10 POCKET APRON/BELT
CLC	485R	7 POCKET DRYWALL POUCH
CLC	ROR7391	STEEL HAMMER LOOP
WAL-BOARD	16-001	DRYWALL POUCH
WAL-BOARD	16-010	NAIL BAG
KRAFT	WL020	20" CANVAS TOOL BAG
MARSHALLTOWN	16202	NYLON TOOL BAG

TAPE MEASURES / MÉTRICO DE CINTAS

DEWALT



DWHT36107
25' X 1 1/8" TAPE MEASURE

OX
MEASURE THE POWER



OX-P029225
PRO TAPE MEASURE
25' 27MM

STANLEY



30-305
HIGH VISIBILITY
TAPE MEASURE

BRAND	ITEM NUMBER	DESCRIPTION
DEWALT	DWHT36107	25' X 1 1/8" TAPE MEASURE
DW TOOLS	08032	25" CHROME MEASURING TAPE
OX TOOLS	OX-P029425	PRO SS 25' TAPE MEASURE
OX TOOLS	OX-P029225	PRO TAPE MEASURE 25' 27MM
STANLEY	30-455	1" X 25' TAPE MEASURE
STANLEY	30-305	HIGH VISIBILITY TAPE MEASURE

SNIPS / TIJERAS

DEWALT



DWHT14675
AVIATION SNIPS CENTER

IRWIN



2073113
STRAIGHT SNIPS

STANLEY



14-563
STRAIGHT CUT
AVIATION SNIPS

BRAND	ITEM NUMBER	DESCRIPTION
DEWALT	DWHT14675	AVIATION SNIPS CENTER
DW TOOLS	13173	AVIATION SNIPS CENTER
IRWIN	2073113	STRAIGHT SNIPS
MARSHALLTOWN	16714	AVIATION SNIPS CENTER
OX TOOLS	OX-P232803	PRO AVIATION SNIPS STRAIGHT
RENEGADE	RGRATS10	10" STRAIGHT SNIPS
RENEGADE	RGRATS10L	10" LEFT SNIPS
RENEGADE	RGRATS10R	10" RIGHT SNIPS
STANLEY	14-563	STRAIGHT CUT AVIATION SNIPS
WISS	M3R	STRAIGHT CUT SNIPS

STAPLERS & STAPLES / GRAPADORA Y GRAPAS

DEWALT



TR350
HEAVY DUTY STAPLE
GUN BRAD TACKER

DUO-FAST



CS-5000
COMPRESSION STAPLER

BRAND	ITEM NUMBER	DESCRIPTION
DEWALT	TR350	HEAVY DUTY STAPLE GUN BRAD TACKER
DUOFAST	CS-5000	COMPRESSION STAPLER
STANLEY	TR250	HEAVY DUTY STAPLER HI/LOW ADJUSTABLE
STANLEY	TR150	HEAVY DUTY STAPLER

STANLEY



TR250
HEAVY DUTY STAPLER
HI/LOW ADJUSTABLE

STANLEY



TR150
HEAVY DUTY STAPLER

STAPLES / STAPLES

BRAND	ITEM NUMBER	DESCRIPTION
DUOFAST	5016C	1/2" WIDE CROWN STAPLES
DUOFAST	5012C	3/8" WIDE CROWN STAPLES
DUOFAST	5010C	5/16" WIDE CROWN STAPLES
DUOFAST	5008C	1/4" WIDE CROWN STAPLES
DUOFAST	5010D	5/16" WIDE STAPLES, DIVERGENT
DUOFAST	5016D	1/2" WIDE STAPLES, DIVERGENT
SENCO	L13BAB	1/4" CROWN 1" STAPLE, 5000/BX
SENCO	L14BAB	1/4" CROWN 1 1/8" STAPLE, 5000/BX
SENCO	L15BAB	1/4" CROWN 1 1/4" STAPLE, 5000/BX
STANLEY	TR706T	3/8" STANLEY HD STAPLES (1000)
STANLEY	TRA708T	1/2" STANLEY HD STAPLES (1000)

CIRCLE CUTTERS / CORTADORES DE CÍRCULO

DW Tools™

MARSHALLTOWN

WAL-BOARD
TOOLS13093
25' X 1 1/8" TAPE
MEASURECC766
8 1/2" DRYWALL
CIRCLE CUTTER08-001
DRYWALL CIRCLE CUTTER

BRAND	ITEM NUMBER	DESCRIPTION
DW TOOLS	13093	DRYWALL CIRCLE CUTTER
MARSHALLTOWN	CC766	8 1/2" DRYWALL CIRCLE CUTTER
RENEGADE	RGDCC16	CIRCLE CUTTER
WAL-BOARD	08-001	CIRCLE CUTTER

SAWS / SIERRAS

HYDE

OX
EXCEED THE POWER

USG SHEETROCK Tools

09016
6" DRYWALL JAB SAWOX-P133516
PRO 12" DRYWALL
JAB SAW340414
6" SHEETROCK
TOOLS JAB SAW

BRAND	ITEM NUMBER	DESCRIPTION
DW TOOLS	13094	CUSHION GRIP DRYWALL KEYHOLE SAW
HYDE	09016	6" DRYWALL JAB SAW
MARSHALLTOWN	US810	SOFT GRIP UTILITY SAW
OX TOOLS	OX-P133516	12" PRO DRYWALL JAB SAW
SHARK	SHAROCK	6" ROCKEATER KEYHOLE SAW
STANLEY	15-556	CUSHION GRIP DRYWALL SAW
USG SHEETROCK TOOLS	340414	6" SHEETROCK TOOLS JAB SAW
WAL-BOARD	04-001	6" UTILITY SAW

RASPS / ESCOFINAS

DW Tools™

MARSHALLTOWN

STANLEY

02056
RASP METAL BODYPL589
RASP/LIFTER COMBO21-399
SURFORM POCKET PLANE

BRAND	ITEM NUMBER	DESCRIPTION
DW TOOLS	02056	RASP METAL BODY
DW TOOLS	02075	RASP REPLACEMENT BLADE
MARSHALLTOWN	PL589	RASP/LIFTER COMBO
STANLEY	21-399	SURFORM POCKET PLANE
STANLEY	21-398	SURFORM REPLACEMENT BL

MIXING TOOLS / MEZCLADORES

AMES

KRAFT
EQUIPMENTWAL-BOARD
TOOLSAMES
CYCLONE PADDLE MIXERDC713
JUNIOR MUD MIXER
30" SHAFT42-004
37" MUD MASHER

BRAND	ITEM NUMBER	DESCRIPTION
AMES	CYCLONE	CYCLONE PADDLE MIXER
AMES	AMESBUCKET	5 GALLON BUCKET
AMES	AMESLID	5 GALLON LID
DW TOOLS	04294	24" EASY MIXER
DW TOOLS	04296	36" EASY MIXER
KRAFT	DC713	30" SHAFT JUNIOR MUD MIXER
KRAFT	DC714	36" SHAFT JUNIOR MUD MIXER
WAL-BOARD	42-002	37" SEMI-ROUND HAND MIXER
WAL-BOARD	42-004	37" MUD MASHER
USG SHEETROCK TOOLS	340413	30" MUD MIXER

MISCELLANEOUS / VARIOS

ADHESIVES / ADHESIVOS

3M



77
77 SPRAY ADHESIVE
16.5 OZ

LIQUID NAILS
BRAND



DWP-24
DRYWALL ADHESIVE

NEWBORN



NE215
1QT DROP-IN RATCHET
CAULK GUN

BRAND	ITEM NUMBER	DESCRIPTION
3M	77	77 SPRAY ADHESIVE 16.5OZ
HENKEL	33830	DRYWALL ADHESIVE
HENKEL	209728	0.20 OZ THREADLOCKER BLUE 242
HENKEL	1363589	SUPER GLUE ULTRA GEL
LIQUID NAILS	DWP-24	DRYWALL ADHESIVE
TITEBOND	7272	DRYWALL ADHESIVE GREEN
TRIM-TEX	847	SPRAY ADHESIVE
NEWBORN	NE215	1QT DROP-IN RATCHET CAULK GUN

MARKING / MARCADORES

IRWIN



CLR
100' CHALK LINE REEL

IRWIN



8RC
8 OZ RED CHALK

OX
INCLUDES THE POINT



OX-T023010
CARPENTER PENCIL
10 PACK

BRAND	ITEM NUMBER	DESCRIPTION
IRWIN	CLR	100' CHALK LINE REEL
IRWIN	8BC	8OZ BLUE CHALK
IRWIN	8RC	8OZ RED CHALK
IRWIN	SLR	100' SPEED-LINE REEL
MUSGRAVE	PENCIL	CARPENTER PENCIL - WHITE
OX TOOLS	OX-T023010	CARPENTER PENCIL 10 PACK

SPACKLING & COLORANT / MASILLA & COLORANTE

Red Devil



0541
GALLON LIGHTWEIGHT
SPACKLING



NEVERMISSBLU
16 OZ BLUE MUD
COLORANT



NMY3
3 OZ YELLOW MUD
COLORANT

BRAND	ITEM NUMBER	DESCRIPTION
RED DEVIL	0541	GALLON LIGHTWEIGHT SPACKLING
RED DEVIL	0544	QUART LIGHTWEIGHT SPACKLING
NEVERMISS	NEVERMISSBLU	16 OZ BLUE MUD COLORANT
NEVERMISS	NEVERMISSYLW	16 OZ YELLOW MUD COLORANT
NEVERMISS	NEVFINALGRAY	8 OZ FINAL COAT GRAY
NEVERMISS	NMB3	3 OZ BLUE MUD COLORANT
NEVERMISS	NMY3	3 OZ YELLOW MUD COLORANT

ROLL LIFTERS & MORE / LEVANTADORES DE CINTA Y MÁS

IL
MARSHALLTOWN



RL801
ROLL LIFTER

WAL-BOARD
TOOLS



MJK1.5
1 1/2" BULLNOSE
TOOL, PLASTIC

USG SHEETROCK Tools



340800
DIMPLER

BRAND	ITEM NUMBER	DESCRIPTION
DW TOOLS	07092	ROLL LIFTER
DW TOOLS	07198	MINI LIFTER
MARSHALLTOWN	RL801	ROLL LIFTER
WAL-BOARD	03-001	RL42 ROLL LIFTER
WAL-BOARD	03-003	MINI LIFTER
WAL-BOARD	03-002	BL40 RIDGID LIFTER
MJK	RMJK11/2	1 1/2" BULLNOSE TOOL, BLACK RUBBER
MJK	MJK1.5	1 1/2" BULLNOSE TOOL, PLASTIC
USG SHEETROCK TOOLS	340800	DIMPLER

5 | ABRASIVES ABRASIVOS



SPONGES / ESPONJAS

BLOCK / BLOQUE

3M



50038
SMALL AREA SPONGE
FINE/MEDIUM

AMES



7309-032
LARGE AREA SANDING
SPONGE MEDIUM/COARSE

TRIM-TEX
DRYWALL PRODUCTS



883M
2-3/4\"X4\"X1\"
SPONGE MEDIUM

BRAND	ITEM NUMBER	DESCRIPTION
3M	00409	3 3/4" X 2 5/8" X 1" FINE SANDING BLOCK
3M	50037	3 3/4" X 2 5/8" X 1" MEDIUM/COARSE SANDING BLOCK
3M	50038	3 3/4" X 2 5/8" X 1" FINE/MEDIUM SANDING BLOCK
AMES	7309-032	3" X 5" X 1" FINE/MEDIUM SANDING BLOCK
AMES	7308-032	3" X 5" X 1" MEDIUM/COARSE SANDING BLOCK
JOHNSON	B1101	3 3/4" X 2 3/4" X 1" FINE/MEDIUM SANDING BLOCK
JOHNSON	B1102	3 3/4" X 2 3/4" X 1" MEDIUM/COARSE SANDING BLOCK
JOHNSON	B1104	5" X 3" X 1" FINE/MEDIUM BIG GRIP SANDING BLOCK
NORTON	02081	4" X 2 3/4" X 1" FINE/MEDIUM SANDING BLOCK (6 PACK)
TRIM-TEX	883F	2 3/4" X 4" X 1" FINE SANDING BLOCK
TRIM-TEX	883M	2 3/4" X 4" X 1" MEDIUM SANDING BLOCK
WEBB	05116	2 5/8" X 3 7/8" X 1" MEDIUM SANDING BLOCK
WEBB	05119	2 3/4" X 3 3/4" X 1" FINE/MEDIUM SANDING BLOCK
WEBB	05120	3" X 5" X 1" FINE/MEDIUM SANDING BLOCK

SINGLE ANGLE / ÁNGULO SENCILLO

NORTON



02284
4-7/8\"X2-7/8\"X1\"
SINGLE ANGLE
SPONGE FINE

3M



07053
SINGLE ANGLE
SPONGE FINE

WEBB



05290
3" X 5" X 1" SINGLE
ANGLE FINE SPONGE

BRAND	ITEM NUMBER	DESCRIPTION
3M	07053	4 7/8" X 2 7/8" X 1" FINE SINGLE ANGLE SANDING SPONGE
3M	07054	4 7/8" X 2 7/8" X 1" MEDIUM SINGLE ANGLE SANDING SPONGE
AMES	7125-032	3" X 5" X 1" FINE SINGLE ANGLE SANDING SPONGE
AMES	7126-032	3" X 5" X 1" MEDIUM SINGLE ANGLE SANDING SPONGE
JOHNSON	B1108	3" X 5" X 1" FINE SINGLE ANGLE SANDING SPONGE
NORTON	02284	4 7/8" X 2 7/8" X 1" FINE SINGLE ANGLE SANDING SPONGE
NORTON	02285	4 7/8" X 2 7/8" X 1" MEDIUM SINGLE ANGLE SANDING SPONGE
TRIM-TEX	888F	3 1/2" X 5" X 1" FINE SINGLE ANGLE SANDING SPONGE
TRIM-TEX	888M	3 1/2" X 5" X 1" MEDIUM SINGLE ANGLE SANDING SPONGE
WEBB	05290	3" X 5" X 1" FINE SINGLE ANGLE SANDING SPONGE

DUAL ANGLE / ÁNGULO DUAL

AMES




7140
DUAL ANGLE SPONGE
FINE/MEDIUM

TRIM-TEX
DRYWALL PRODUCTS



885
DUAL ANGLE SANDING
BLOCK FINE/MEDIUM

Johnson
ABRASIVES



B1107
5\"X3\"X1\" DUAL ANGLE
SPONGE FINE/MEDIUM

BRAND	ITEM NUMBER	DESCRIPTION
AMES	7140	3" X 5" X 1" FINE/MEDIUM DUAL ANGLE SANDING SPONGE
JOHNSON	B1107	3" X 5" X 1" FINE/MEDIUM DUAL ANGLE SANDING SPONGE
NORTON	02082BP	4 7/8" X 2 7/8" X 1" FINE/MEDIUM DUAL ANGLE SANDING SPONGE
TRIM-TEX	885	5" X 3 1/4" X 1" FINE/MEDIUM DUAL ANGLE
TRIM-TEX	885-BULK	5" X 3 1/4" X 1" FINE/MEDIUM DUAL ANGLE, BULK
TRIM-TEX	885F	5" X 3 1/4" X 1" FINE/FINE DUAL ANGLE
TRIM-TEX	887	6" X 3 1/4" X 1" FINE/MEDIUM DUAL ANGLE, XL
WEBB	05289	3" X 5" X 1" MEDIUM DUAL ANGLE SANDING SPONGE
WEBB	05121	3" X 5" X 1" FINE/MEDIUM DUAL ANGLE SANDING SPONGE

OTHER SANDING SPONGES / OTRAS ESPONJAS DE LIJAR

3M



06965
FINE GRIT CONTOUR SPONGE

TRIM-TEX
DRYWALL PRODUCTS



881
4\"X5\" FLEX SAND SPONGE

BRAND	ITEM NUMBER	DESCRIPTION
3M	06965	4 1/2" X 5 1/2" FINE FLEXIBLE SANDING PAD
NORTON	01715	3 3/4" X 7" X 4 1/2" MEDIUM CORNER SANDING SPONGE
TRIM-TEX	881	4" X 5" FINE FLEXIBLE SANDING PAD



YOUR CHOICE SU ELECCIÓN
60-80-100-120-150-180-220 OR 240 -GRIT




YOUR CHOICE SU ELECCIÓN
80-100-120-150-180 OR 220 -GRIT



BRAND	ITEM NUMBER	DESCRIPTION
FULL CIRCLE	SD60	60G 8 3/4" SANDING DISC 25/PKG
FULL CIRCLE	SD80	80G 8 3/4" SANDING DISC 25/PKG
FULL CIRCLE	SD100	100G 8 3/4" SANDING DISC 25/PKG
FULL CIRCLE	SD120	120G 8 3/4" SANDING DISC 25/PKG
FULL CIRCLE	SD150	150G 8 3/4" SANDING DISC 25/PKG
FULL CIRCLE	SD180	180G 8 3/4" SANDING DISC 25/PKG
FULL CIRCLE	SD220	220G 8 3/4" SANDING DISC 25/PKG
FULL CIRCLE	SD240	240G 8 3/4" SANDING DISC 25/PKG




BRAND	ITEM NUMBER	DESCRIPTION
AMES	6410-032	80G 9" SANDING DISC 25/PKG
AMES	6411-032	100G 9" SANDING DISC 25/PKG
AMES	6412-032	120G 9" SANDING DISC 25/PKG
AMES	6413-032	150G 9" SANDING DISC 25/PKG
AMES	6414-032	180G 9" SANDING DISC 25/PKG
AMES	6415-032	220G 9" SANDING DISC 25/PKG



YOUR CHOICE SU ELECCIÓN
80-100-120-150-180 OR 220 -GRIT



BRAND	ITEM NUMBER	DESCRIPTION
PORTER CABLE	77085	80G 9" SANDING PADS 5/PKG
PORTER CABLE	77105	100G 9" SANDING PADS 5/PKG
PORTER CABLE	77125	120G 9" SANDING PAD 5/PKG
PORTER CABLE	77155	150G 9" SANDING PAD 5/PKG
PORTER CABLE	77185	180G 9" SANDING PAD 5/PKG
PORTER CABLE	77225	220G 9" SANDING PAD 5/PKG



YOUR CHOICE SU ELECCIÓN
80-100-120-150-180 OR 220 -GRIT



BRAND	ITEM NUMBER	DESCRIPTION
NORTON	02466	80G 9" SANDING DISK 15/PKG
NORTON	02465	100G 9" SANDING DISK 15/PKG
NORTON	02464	120G 9" SANDING DISK 15/PKG
NORTON	02463	150G 9" SANDING DISK 15/PKG
NORTON	58171N	180G 9" SANDING DISK 15/PKG
NORTON	56659N	220G 9" SANDING DISK 15/PKG



YOUR CHOICE SU ELECCIÓN
120-150 OR 180 -GRIT



BRAND	ITEM NUMBER	DESCRIPTION
JOHNSON	33834	120G 8 7/8" SCREEN KUT CLAMP DISC (25/PKG)
JOHNSON	33833	150G 8 7/8" SCREEN KUT CLAMP DISC (25/PKG)
JOHNSON	33832	180G 8 7/8" SCREEN KUT CLAMP DISC (25/PKG)



YOUR CHOICE SU ELECCIÓN
80-100-120-150-180-220 OR 240-GRIT

3-5/16" X 12"
WET-KUT™ SHEETS



YOUR CHOICE SU ELECCIÓN
80-100-120-150-180 OR 220-GRIT

4-3/16 X 11-1/4"
SMOOTH-KUT™ SHEETS



YOUR CHOICE SU ELECCIÓN
80-100-120-150-180 OR 220-GRIT

4-3/16 X 11-1/4"
SCREEN-KUT™ MESH SHEETS



BRAND	ITEM NUMBER	DESCRIPTION
JOHNSON	B0906	80G 3-5/16" X 12" WET-KUT™ SHEETS (25/PKG, 10 PKG/CASE)
JOHNSON	B0905	100G 3-5/16" X 12" WET-KUT™ SHEETS (25/PKG, 10 PKG/CASE)
JOHNSON	B0904	120G 3-5/16" X 12" WET-KUT™ SHEETS (25/PKG, 10 PKG/CASE)
JOHNSON	B0903	150G 3-5/16" X 12" WET-KUT™ SHEETS (25/PKG, 10 PKG/CASE)
JOHNSON	B0902	180G 3-5/16" X 12" WET-KUT™ SHEETS (25/PKG, 10 PKG/CASE)
JOHNSON	B0907	220G 3-5/16" X 12" WET-KUT™ SHEETS (25/PKG, 10 PKG/CASE)
JOHNSON	B0901	240G 3-5/16" X 12" WET-KUT™ SHEETS (25/PKG, 10 PKG/CASE)
JOHNSON	B0308	80G 4-3/16 X 11-1/4" SMOOTH-KUT™ (100/PKG, 10 PKG/CASE)
JOHNSON	B0307	100G 4-3/16 X 11-1/4" SMOOTH-KUT™ (100/PKG, 10 PKG/CASE)
JOHNSON	B0306	120G 4-3/16 X 11-1/4" SMOOTH-KUT™ (100/PKG, 10 PKG/CASE)
JOHNSON	B0305	150G 4-3/16 X 11-1/4" SMOOTH-KUT™ (100/PKG, 10 PKG/CASE)
JOHNSON	B0180	180G 4-3/16 X 11-1/4" SMOOTH-KUT™ (100/PKG, 10 PKG/CASE)
JOHNSON	B03-220-4D	220G 4-3/16 X 11-1/4" SMOOTH-KUT™ (100/PKG, 10 PKG/CASE)
JOHNSON	B0110-25	80G 4-3/16" X 11-1/4" SCREEN-KUT™ MESH (25/PKG, 10 PKG/CASE)
JOHNSON	B0109-25	100G 4-3/16" X 11-1/4" SCREEN-KUT™ MESH (25/PKG, 10 PKG/CASE)
JOHNSON	B0108-25	120G 4-3/16" X 11-1/4" SCREEN-KUT™ MESH (25/PKG, 10 PKG/CASE)
JOHNSON	B0107-25	150G 4-3/16" X 11-1/4" SCREEN-KUT™ MESH (25/PKG, 10 PKG/CASE)
JOHNSON	B0107-180-25	180G 4-3/16" X 11-1/4" SCREEN-KUT™ MESH (25/PKG, 10 PKG/CASE)
JOHNSON	B0106-25	220G 4-3/16" X 11-1/4" SCREEN-KUT™ MESH (25/PKG, 10 PKG/CASE)



YOUR CHOICE SU ELECCIÓN
80-100-120 OR 150-GRIT

3-5/16 X 12 "
SANDPAPER SHEETS



BRAND	ITEM NUMBER	DESCRIPTION
AMES	7096-032	3-5/16" X 12" 80G SHEETS (50/PKG)
AMES	7097-032	3-5/16" X 12" 100G SHEETS (50/PKG)
AMES	7098-032	3-5/16" X 12" 120G SHEETS (50/PKG)
AMES	7099-032	3-5/16" X 12" 150G SHEETS (50/PKG)
AMES	7104-032	4-1/4" X 11" 80G SHEETS (50/PKG)
AMES	7105-032	4-1/4" X 11" 100G SHEETS (50/PKG)
AMES	7112-032	4-1/4" X 11" 120G SHEETS (50/PKG)
AMES	7111-032	4-1/4" X 11" 150G SHEETS (50/PKG)



YOUR CHOICE SU ELECCIÓN
120-150-180 OR 240-GRIT

3-5/16" X 11-1/4"
HYDE NET SHEETS



BRAND	ITEM NUMBER	DESCRIPTION
HYDE	09944	120G NET SHEET (10/PKG)
HYDE	09938	150G NET SHEET (10/PKG)
HYDE	09939	180G NET SHEET (10/PKG)
HYDE	09940	240G NET SHEET (10/PKG)



YOUR CHOICE SU ELECCIÓN
80-100-120 OR 150-GRIT

4-3/16" X 11"
DRYWALL SANDING SHEETS



BRAND	ITEM NUMBER	DESCRIPTION
3M	10207	80G 4-3/16"X11" DRYWALL SANDING SHEETS (100/PKG)
3M	10204	100G 4-3/16"X11" DRYWALL SANDING SHEETS (100/PKG)
3M	53044	120G 4-3/16"X11" DRYWALL SANDING SHEETS (100/PKG)
3M	53046	150G 4-3/16"X11" DRYWALL SANDING SHEETS (100/PKG)



YOUR CHOICE SU ELECCIÓN
80-100 OR 120-GRIT

9" X 11"
SANDING SHEETS



BRAND	ITEM NUMBER	DESCRIPTION
NORTON	02641	80G 9" X 11" SHEETS (20/PKG)
NORTON	02640	100G 9" X 11" SHEETS (20/PKG)
NORTON	02639	120G 9" X 11" SHEETS (20/PKG)
NORTON	02638	150G 9" X 11" SHEETS (20/PKG)



YOUR CHOICE SU ELECCIÓN
100-120 OR 150 OR 180-GRIT

**3-5/16" X 50 YDS
WET-KUT™ ROLL**



YOUR CHOICE SU ELECCIÓN
80-100-120 OR 150-GRIT

**3-5/16" X 50 YDS
TUFR-KUT™ ROLL**



BRAND	ITEM NUMBER	DESCRIPTION
JOHNSON	B0407	100G 8" X 50 YDS SMOOTH-KUT™ ROLL
JOHNSON	B0406	120G 8" X 50 YDS SMOOTH-KUT™ ROLL
JOHNSON	B0405	150G 8" X 50 YDS SMOOTH-KUT™ ROLL
JOHNSON	B0935	100G 3 5/16" X 50 YDS WET-KUT™ ROLL
JOHNSON	B0934	120G 3 5/16" X 50 YDS WET-KUT™ ROLL
JOHNSON	B0933	150G 3 5/16" X 50 YDS WET-KUT™ ROLL
JOHNSON	B0932	180G 3 5/16" X 50 YDS WET-KUT™ ROLL
JOHNSON	B0636	80G 3 5/16" X 50 YDS TUFR-KUT™ ROLL
JOHNSON	B0635	100G 3 5/16" X 50 YDS TUFR-KUT™ ROLL
JOHNSON	B0634	120G 3 5/16" X 50 YDS TUFR-KUT™ ROLL
JOHNSON	B0633	150G 3 5/16" X 50 YDS TUFR-KUT™ ROLL



YOUR CHOICE SU ELECCIÓN
80-100-120 -150 OR 180-GRIT

**3-5/16" X 50 YDS
SANDPAPER ROLLS**



BRAND	ITEM NUMBER	DESCRIPTION
SAND INC.	RLLO1063	80G 3-5/16" X 50YDS SANDPAPER ROLL
SAND INC.	RLLO1062	100G 3-5/16" X 50YDS SANDPAPER ROLL
SAND INC.	RLLO1061	120G 3-5/16" X 50YDS SANDPAPER ROLL
SAND INC.	RLLO1060	150G 3-5/16" X 50YDS SANDPAPER ROLL
SAND INC.	RLLO1059	180G 3-5/16" X 50YDS SANDPAPER ROLL

SANDING PADS / ALMOHADILLAS DE LIJAR



03292
9" HOOK PAD



PWR PAD
POWER PAD



N346519
BACKUP PAD ASSEMBLY

BRAND	ITEM NUMBER	DESCRIPTION
NORTON	03292	9" HOOK BACKUP PAD
FULL CIRCLE	PWR PAD	9" POWER PAD
FULL CIRCLE	RPSTD	9" R360 STANDARD REPLACEMENT PAD
PORTER CABLE	N346519	9" BACKUP PAD ASSEMBLY
FLEX	412.899	9" VELCRO BACKING PAD, HARD
FLEX	260.232	9" VELCRO BACKING PAD, SUPER SOFT



YOUR CHOICE SU ELECCIÓN
100-120 -150 -180 OR 220-GRIT

560-FX
SANDING PAD



BRAND	ITEM NUMBER	DESCRIPTION
TRIM-TEX	560-CX	540 SANDING PADS 100 GRIT 6PK
TRIM-TEX	560-C	540 SANDING PADS 120 GRIT 6PK
TRIM-TEX	560-M	540 SANDING PADS 150 GRIT 6PK
TRIM-TEX	560-F	540 SANDING PADS 180 GRIT 6PK
TRIM-TEX	560-FX	540 SANDING PADS 220 GRIT 6PK



SUPER SANDER
SUPER SANDER POLE SANDER



SS49
SUPER SANDER HEAD



BRAND	ITEM NUMBER	DESCRIPTION
BETTER THAN EVER	SUPER SANDER	SUPER SANDER POLE SANDER
BETTER THAN EVER	SS49	SUPER SANDER HEAD
BETTER THAN EVER	SS51	SUPER SANDER PAD
BETTER THAN EVER	SSEP3-6	3-6' EXTENSION HANDLE FOR SUPER
BETTER THAN EVER	SSEP4-8	4-8' EXTENSION HANDLE FOR SUPER



DUSTLESS
FCI DUSTLESS SANDING SYSTEM



R360
RADIUS 360 SANDING TOOL



FLEX20
FLEX EDGE 2.0 SANDING HEAD



BRAND	ITEM NUMBER	DESCRIPTION
FULL CIRCLE	DUSTLESS	DUSTLESS SANDING SYSTEM
FULL CIRCLE	FLEX	FLEX SANDER
FULL CIRCLE	R360	RADIUS 360 SANDING TOOL
FULL CIRCLE	FX4	LIGHTWEIGHT 4' FIXED POLE
FULL CIRCLE	FLEX20	FLEX EDGE 2.0 SANDING HEAD



540
PRO SERIES SANDER



BRAND	ITEM NUMBER	DESCRIPTION
TRIM-TEX	540P	PRO SERIES SANDER AND POLE
TRIM-TEX	540	PRO SERIES SANDER



35-001
POLE SANDER



BRAND	ITEM NUMBER	DESCRIPTION
WAL-BOARD	35-001	POLE SANDER
WAL-BOARD	35-002	SANDING HEAD
WAL-BOARD	35-009	POLE SANDER ADAPTOR



R0001
VERSA-POLE EXTENSION HANDLE



BRAND	ITEM NUMBER	DESCRIPTION
AMES	R0001	VERSA-POLE EXTENSION HANDLE
AMES	R0007	VERSA-POLE ANGLE BALL ADAPTER
AMES	R0008	VERSA-POLE SANDING HEAD ADAPTER



09175
DUST FREE POLE SANDER



R055
4'-8' SHERLOCK EXTENSION POLE

BRAND	ITEM NUMBER	DESCRIPTION
HYDE	09175	DUST FREE POLE SANDER
HYDE	09180	PRO DUST FREE POLE SANDER
MR LONGARM	6508	ALUMIGLASS LOCK-THREAD EXTENSION HANDLE / 4'-8'
MR LONGARM	9248	ALUMINUM TWIST-LOCK EXTENSION HANDLE / 4'-8'
WOOSTER	R055	4'-8' SHERLOCK EXTENSION POLE

6

SCAFFOLDS & STILTS

ANDAMIOS Y ZANCOS





660CL
6' SCAFFOLD WITH 5" LOCKING CASTERS



660CLPIC5
6' SCAFFOLD WITH 5" ELITE LOCKING CASTERS



SU-4
4' STEP-UP SCAFFOLD



SU-6
6' STEP-UP SCAFFOLD

NU-WAVE
SCAFFOLDING SYSTEMS

BRAND	ITEM NUMBER	DESCRIPTION
NU-WAVE	660CL	660 CLASSIC 6' SCAFFOLD W/ PC5BS 5" LOCKING CASTERS
NU-WAVE	660CLPIC5	660 CLASSIC 6' SCAFFOLD W/ PIC-5 5" ELITE LOCKING CASTERS
NU-WAVE	PEPP6CL	6' PLATFORM FOR 440 & 660 CLASSIC SCAFFOLDS
NU-WAVE	SU-4	4' STEP-UP SCAFFOLD W/ 5" LOCKING CASTERS, 2 DECK BOARDS
NU-WAVE	SU-6	6' STEP-UP SCAFFOLD W/ 5" LOCKING CASTERS, 2 DECK BOARDS



RGSCAF4
4' HALF SCAFFOLD



RGMSCAF4
4' SCAFFOLD



RGDFS4
PRO 4' SCAFFOLD



RGDSCAF1000
6' SCAFFOLD



RGSCAF
6' SCAFFOLD



RGDFS6
PRO 6' SCAFFOLD

RENEGADE

BRAND	ITEM NUMBER	DESCRIPTION	CAPACITY
RENEGADE	RGDSCAF1000	6' SCAFFOLD	1000 LBS.
RENEGADE	RGSCAF	6' SCAFFOLD	1250 LBS.
RENEGADE	RGSCAF4	4' HALF SCAFFOLD	750 LBS.
RENEGADE	RGMSCAF4	4' MINI SCAFFOLD	500 LBS.
RENEGADE	RGDFS4	PRO 4' SCAFFOLD	750 LBS.
RENEGADE	RGDFS6	PRO 6' SCAFFOLD	1000 LBS.
RENEGADE	RGDAP1016	10'-16' EXTENSION PLANK	N/A
RENEGADE	RGDAP813	8'-13' EXTENSION PLANK	N/A



31-016
18" -30" DRYWALL BENCH



10329
18" -30" EZ-STRIDE DRYWALL BENCH



RGddb49
18" -30" DRYWALL BENCH



10227
35"

10228
46"

10225
24"

10226
29"



EZ-STRIDE® STEP-UP BENCHES

BRAND	ITEM NUMBER	DESCRIPTION
WARNER	10225	24" EZ-STRIDE STEP-UP BENCH
WARNER	10226	29" EZ-STRIDE STEP-UP BENCH
WARNER	10227	35" EZ-STRIDE STEP-UP BENCH
WARNER	10228	46" EZ-STRIDE STEP-UP BENCH

TRIGGER BENCHES / BANCOS DE DISPARO



130 SERIES
2', 2.5', 3', 4', 5' & 6'
SAWHORSE TRIGGER



140 SERIES
2', 2.5', 3' & 4'
FAT-TOP TRIGGER



BRAND	ITEM NUMBER	DESCRIPTION
STURDY	130-02	2' SAWHORSE TRIGGER
STURDY	130-25	2.5' SAWHORSE TRIGGER
STURDY	130-03	3' SAWHORSE TRIGGER
STURDY	130-04	4' SAWHORSE TRIGGER
STURDY	130-05	5' SAWHORSE TRIGGER
STURDY	130-06	6' SAWHORSE TRIGGER
STURDY	140-02	2' FAT-TOP TRIGGER
STURDY	140-025	2.5' FAT-TOP TRIGGER
STURDY	140-03	3' FAT-TOP TRIGGER
STURDY	140-04	4' FAT-TOP TRIGGER

DRYWALL CARTS & TRASH TRUCKS / CARROS PARA PANEL DE YESO Y CAMIONES DE BASURA



FGDOA3200
COMMERCIAL
DRYWALL CART



FGDOR01
RESIDENTIAL
DRYWALL CART



UT010
1 CUBIC YARD
TRASH TRUCK

BRAND	ITEM NUMBER	DESCRIPTION
FOREST GROUP	FGDOA3200	COMMERCIAL DRYWALL CART
FOREST GROUP	FGDOR01	RESIDENTIAL DRYWALL CART
GRABBER	GDWC	DRYWALL CART
GRABBER	DUC34-R	3/4 YARD DUMP CART
TOTER	UT010	1 CUBIC YARD TRASH TRUCK



RGDS1830
18"-30"
PRO DRYWALL
STILTS



RGDPRO4864
48"-64"
TALL BOY PRO
DRYWALL STILTS

RENEGADE

BRAND	ITEM NUMBER	DESCRIPTION
RENEGADE	RGDS1830	18" - 30" ALUMINUM STILTS
RENEGADE	RGDS2440	24" - 40" ALUMINUM STILTS
RENEGADE	RGDPRO3648	36" - 48" ALUMINUM STILTS
RENEGADE	RGDPRO4864	48" - 64" ALUMINUM STILTS
RENEGADE	RGDMAG2440	24" - 40" MAGNESIUM STILTS



D14-22
14"-22"
DRYWALL STILTS



D24-40
24"-40"
DRYWALL STILTS

DURA-STILTS

BRAND	ITEM NUMBER	DESCRIPTION
DURASTILT	D14-22	14" - 22" MODEL III ALUMINUM STILTS
DURASTILT	D18-30	18" - 30" MODEL III ALUMINUM STILTS
DURASTILT	D24-40	24" - 40" MODEL III ALUMINUM STILTS
DURASTILT	D34-60	34" - 60" MODEL III ALUMINUM STILTS



SE-2440AP
24"-40"
ALUMINUM
DRYWALL STILTS



SP-2440MP
24"-40"
MAGNESIUM
DRYWALL STILTS



BRAND	ITEM NUMBER	DESCRIPTION
SURMAG	S2-1830M	18" - 30" S2 MAG STILTS
SURMAG	S2-2440M	24" - 40" S2 MAG STILTS
SURMAG	SE-2440AP	24" - 40" SUR-STILT ALUM STILTS
SURMAG	SP2-1830MP	18" - 30" QUADLOCK MAG DBL STILTS
SURMAG	SP2-2440MP	24" - 40" QUADLOCK MAG DBL STILTS
SURMAG	SP-2440MP	24" - 40" QUADLOCK MAG SGL STILTS



TP01830
18"-30"
MAGNESIUM
DRYWALL STILTS



TP04864
48"-64"
MAGNESIUM
DRYWALL STILTS

TOOLPRO
TOOLS FOR PROFESSIONALS

BRAND	ITEM NUMBER	DESCRIPTION
TOOL PRO	TP01830	18"-30" MAGNESIUM STILTS
TOOL PRO	TP02440	24"-40" MAGNESIUM STILTS
TOOL PRO	TP03648	36"-48" MAGNESIUM STILTS
TOOL PRO	TP04864	48"-64" MAGNESIUM STILTS



GLO1830
18"-30"
ALUMINUM
DRYWALL STILTS



GLO2440
24"-40"
ALUMINUM
DRYWALL STILTS

**CONTRACTOR
+ PLUS**

BRAND	ITEM NUMBER	DESCRIPTION
CONTRACTOR PLUS	GLO1830	18" - 30" ALUMINUM STILTS
CONTRACTOR PLUS	GLO2440	24" - 40" ALUMINUM STILTS

7 | TEXTURE & BEAD TEXTURA Y ESQUINERO



**TEXTURE / TEXTURA
BRUSHES / CEPILLOS**



844
14" X 16 1/2"
DOUBLE WIDE CROWS
FOOT BRUSH



DW118
13" SINGLE WIDE
OBLONG CROWS
FOOT BRUSH

BRAND	ITEM NUMBER	DESCRIPTION
KRAFT	DW118	13" SINGLE WIDE OBLONG CROWS FOOT BRUSH TAMPICO
KRAFT	DW118D	13"X16" DOUBLE WIDE OBLONG CROWS FOOT BRUSH TAMPICO
MARSHALLTOWN	844	14"X16 1/2" DOUBLE WIDE OBLONG CROWS FOOT BRUSH TAMPICO
RENARD	300D	3"X10"X19" DOUBLE WIDE STIPPLE BRUSH
RENARD	300S	3" SINGLE WIDE STIPPLE BRUSH
TEXMASTER	8802	8 1/2" SINGLE WIDE SHAG STIPPLE BRUSH
TEXMASTER	8803	11" SINGLE WIDE SHAG STIPPLE BRUSH
TEXMASTER	8804	12" SINGLE WIDE SHAG STIPPLE BRUSH TAMPICO
TEXMASTER	8829	10" SINGLE WIDE STIPPLE BRUSH TAMPICO
TEXMASTER	9901	8" SINGLE WIDE ORIGINAL ROSEBUD STIPPLE BRUSH



300D
3"X10"X19"
DOUBLE WIDE STIPPLE BRUSH



8802
8 1/2"
SINGLE WIDE SHAG
STIPPLE BRUSH



8829
10" SINGLE WIDE STIPPLE
BRUSH TAMPICO



9901
8" SINGLE WIDE ORIGINAL
ROSEBUD STIPPLE BRUSH

ROLLERS / RODILLOS



15180
9" CROWS FOOT TEXTURE



15187
9" BEAR CLAW TEXTURE

BRAND	ITEM NUMBER	DESCRIPTION
RENARD	15180	9" CROWS FOOT TEXTURE ROLLER
RENARD	15181	9" BASKET WEAVE TEXTURE ROLLER
RENARD	15182	9" MONTERREY TEXTURE ROLLER
RENARD	15183	9" POINSETTIA TEXTURE ROLLER
RENARD	15184	9" TREE BARK TEXTURE ROLLER
RENARD	15187	9" BEAR CLAW TEXTURE ROLLER
RENARD	15189	9" PIN WHEEL TEXTURE ROLLER

MASKING TAPE / CINTA DE ENMASCARAR



101006
1" X 60 YDS
MASKING TAPE



125170
1" X 60 YDS
BLUE MASKING TAPE

BRAND	ITEM NUMBER	DESCRIPTION
3M	06818	1" X 60 YDS BLUE MASKING TAPE
3M	06819	1 1/2" X 60 YDS BLUE MASKING TAPE
3M	06820	2" X 60 YDS BLUE MASKING TAPE
SHURTAPE	101006	1" X 60 YDS MASKING TAPE
SHURTAPE	101007	1 1/2" X 60 YDS MASKING TAPE
SHURTAPE	101008	2" X 60 YDS MASKING TAPE
TAPE-PAK	234	2" X 60 YDS RED STUCCO UV TAPE
TRIMACO	125170	1" X 60 YDS BLUE MASKING TAPE
TRIMACO	125270	1 1/2" X 60 YDS BLUE MASKING TAPE
TRIMACO	125370	2" X 60 YDS BLUE MASKING TAPE

TEXTURE / TEXTURA

MASKING PAPER / PAPEL DE ENMASCARAR

▲ TRIMACO

USG



35145
36" X 167'
RED ROSIN PAPER



290019
36" X 167' FIBEROCK FLOOR
PROTECTION PAPER

BRAND	ITEM NUMBER	DESCRIPTION
PPC	58060	48" X 825' FLOOR PROTECTION PAPER
TRIMACO	735 / 12909	9" X 60YDS MASKING PAPER
TRIMACO	736 / 12912	12" X 60YDS MASKING PAPER
TRIMACO	737	15" X 60YDS MASKING PAPER
TRIMACO	738	18" X 60YDS MASKING PAPER
TRIMACO	35145	36" X 167' RED ROSIN PAPER
USG	290019	36" X 167' FIBEROCK FLOOR PROTECTION PAPER

MASKING FILM / PELÍCULA DE ENMASCARAR

3M

▲ TRIMACO



06848
48" X 180'
MASKING FILM



64880
48" X 180'
MASKING FILM

BRAND	ITEM NUMBER	DESCRIPTION
3M	06848	48" X 180' MASKING FILM
3M	79683	72" X 90' MASKING FILM
3M	79684	99" X 90' MASKING FILM
TRIMACO	64880	48" X 180' MASKING FILM
TRIMACO	67290	72" X 90' MASKING FILM
TRIMACO	69990	99" X 90' MASKING FILM

MASKING TOOLS & BLADES / HERRAMIENTAS Y CUCHILLAS DE ENMASCARAR

3M

▲ TRIMACO



06795
9" HAND MASKER
PAPER BLADE



05000
CONTRACTOR MASKER
DISPENSER

BRAND	ITEM NUMBER	DESCRIPTION
3M	03687	HAND MASKER M3000 DISPENSER
3M	06795	9" HAND MASKER PAPER BLADE
3M	06796	12" HAND MASKER PAPER BLADE
3M	06802	12" HAND MASKER FILM BLADE
TRIMACO	05000	CONTRACTOR MASKER QM5000 DISPENSER

POLY SHEETING / LÁMINAS DE POLIETILENO

HUSKY®



994107C
.31 MIL X 12' X 400' CLEAR
PAINTER'S PLASTIC
POLY SHEETING



03512
.31 MIL X 12' X 400' CLEAR
PAINTER'S PLASTIC
POLY SHEETING

BRAND	ITEM NUMBER	DESCRIPTION
HUSKY	03509	.31 MIL X 9' X 400' CLEAR PAINTER'S PLASTIC POLY SHEETING
HUSKY	03512	.31 MIL X 12' X 400' CLEAR PAINTER'S PLASTIC POLY SHEETING
HUSKY	07509	.7 MIL X 9' X 400' CLEAR PLASTIC SHEETING
HUSKY	07512	.7 MIL X 12' X 400' CLEAR PLASTIC SHEETING
HUSKY	410C	4 MIL X 10' X 100' CLEAR PLASTIC SHEETING
HUSKY	CF0109-0400	1 MIL X 9' X 400' CLEAR PLASTIC SHEETING
HUSKY	CF0112-0400	1 MIL X 12' X 400' CLEAR PLASTIC SHEETING
HUSKY	CF0212-200	2 MIL X 12' X 200' CLEAR PLASTIC SHEETING
PETOSKEY PLASTICS	994106C	.31 MIL X 9' X 400' CLEAR PAINTER'S PLASTIC POLY SHEETING
PETOSKEY PLASTICS	994107C	.31 MIL X 12' X 400' CLEAR PAINTER'S PLASTIC POLY SHEETING
PETOSKEY PLASTICS	994157	.75 MIL X 12' X 400' CLEAR PLASTIC SHEETING

**BEAD / ESQUINERO
HOPPERS / TOLVAS**



**340311
BEAD HOPPER**



**BDX
BEAD HOPPER**

BRAND	ITEM NUMBER	DESCRIPTION
PLACOR	BDX	BEAD HOPPER
USG SHEETROCK TOOLS	340311	BEAD HOPPER
USG SHEETROCK TOOLS	340316	OUTSIDE BULLNOSE HOPPER GATE
USG SHEETROCK TOOLS	340318	HOPPER GATE

BANJOS / BANJOS



**AB0004
COBRA SILVER BANJO
WITH WOODEN HANDLE**



**5301
SEAMSLAMMER BANJO**

BRAND	ITEM NUMBER	DESCRIPTION
AMES	AB0004	COBRA SILVER BANJO WITH WOODEN HANDLE
COLORADO	CTBWSR	RIGHT HANDED DRYWALL BANJO
DW TOOLS	10203	DRY TAPE BANJO
KRAFT	DC401	TOP HANDLE BANJO
KRAFT	DC402	SIDE HANDLE BANJO
MARSHALLTOWN	5301	SEAMSLAMMER BANJO
MARSHALLTOWN	798D	RIGHT HANDED DRYWALL BANJO

DRYWALL TAPES / CINTAS PARA PANEL DE YESO



**314202
250' PAPER JOINT TAPE**



**FDW8201
FIBAFUSE 2 1/16" X 250'
PAPERLESS JOINT TAPE**

BRAND	ITEM NUMBER	DESCRIPTION
CERTAINTEED	314202	250' PAPER JOINT TAPE
CERTAINTEED	314201	500' PAPER JOINT TAPE
RUCO	SWPR250JT	250' PAPER JOINT TAPE
RUCO	SWPR500JT	500' PAPER JOINT TAPE
SAINT-GOBAIN	FDW8201	FIBAFUSE 2 1/16" X 250' PAPERLESS JOINT TAPE
SAINT-GOBAIN	FDW8550U	FIBATAPE 2 3/8" X 250' PAPERLESS JOINT TAPE
RENEGADE	PT474W	2" X 300' WHITE MESH JOINT TAPE
RENEGADE	PT474Y	2" X 300' YELLOW MESH JOINT TAPE
RENEGADE	TB2300C	2" X 300' BLUE MESH TAPE
RENEGADE	TW25300C	2 1/2" X 300' WHITE MESH JOINT TAPE
RENEGADE	TY25300C	2 1/2" X 300' YELLOW MESH JOINT TAPE
RENEGADE	TB25300C	2 1/2" X 300' BLUE MESH JOINT TAPE
CERTAINTEED	LL100	LEVELINE 2 3/4" X 100' CORNER TRIM
CERTAINTEED	ULT325	ULTRAFLEX 3 1/4" X 100' CORNER TRIM
CERTAINTEED	ULT450	ULTRAFLEX 4 1/2" X 100' CORNER TRIM
STRAIT-FLEX	ET-100	2" X 100' EDGE TRIM
STRAIT-FLEX	SMH-100	2 1/4" X 100' MEDIUM CORNER TRIM W/HOLES
STRAIT-FLEX	SOH-100	2 3/4" X 100' ORIGINAL CORNER TRIM W/HOLES
STRAIT-FLEX	MF-100	3" X 100' MID-FLEX CORNER TRIM
STRAIT-FLEX	WF-100	4" X 100' WIDE-FLEX CORNER TRIM



**SMH-100
2 1/4" X 100' MEDIUM
CORNER TRIM W/HOLES**



**PT474Y
2" X 300' YELLOW
MESH JOINT TAPE**

PATCHES / PARCHES



**8x8B
8" X 8"
REPAIR PATCH**

BRAND	ITEM NUMBER	DESCRIPTION
PRO PATCH	4X4B	4" X 4" REPAIR PATCH
PRO PATCH	PP6X6B	6" X 6" REPAIR PATCH
PRO PATCH	8X8B	8" X 8" REPAIR PATCH

8

SAFETY
SEGURIDAD





312-1200
HIGH VISIBILITY
YELLOW T-SHIRT



312-1200
HIGH VISIBILITY
ORANGE T-SHIRT



310-1150B
LONG SLEEVE
YELLOW T-SHIRT



BRAND	ITEM NUMBER	DESCRIPTION
PIP	312-1200/L	HIGH VISIBILITY T-SHIRT, ANSI CLASS II, LARGE
PIP	312-1200/XL	HIGH VISIBILITY T-SHIRT, ANSI CLASS II, XLARGE
PIP	312-1200/2XL	HIGH VISIBILITY T-SHIRT, ANSI CLASS II, XXLARGE
PIP	313-1300/L	HIGH VISIBILITY LONG SLEEVE T-SHIRT, ANSI TYPE R CLASS 3, LARGE
PIP	313-1300/XL	HIGH VISIBILITY LONG SLEEVE T-SHIRT, ANSI TYPE R CLASS 3, XLARGE
PIP	313-1300/2XL	HIGH VISIBILITY LONG SLEEVE T-SHIRT, ANSI TYPE R CLASS 3, XXLARGE
PIP	310-1150B/S	LONG SLEEVE T-SHIRT, NON-ANSI, UV PROTECTION, INSECT REPELLANT, SMALL
PIP	310-1150B/M	LONG SLEEVE T-SHIRT, NON-ANSI, UV PROTECTION, INSECT REPELLANT, MEDIUM
PIP	310-1150B/L	LONG SLEEVE T-SHIRT, NON-ANSI, UV PROTECTION, INSECT REPELLANT, LARGE
PIP	310-1150B/XL	LONG SLEEVE T-SHIRT, NON-ANSI, UV PROTECTION, INSECT REPELLANT, XLARGE
PIP	310-1150B/2X	LONG SLEEVE T-SHIRT, NON-ANSI, UV PROTECTION, INSECT REPELLANT, XXLARGE

VESTS / CHALECOS



302-V100
HIGH VISIBILITY
MESH YELLOW VEST



302-VOR
HIGH VISIBILITY
MESH ORANGE VEST



302-0500
HIGH VISIBILITY 11
POCKET SURVEYOR
YELLOW VEST



302-0500
HIGH VISIBILITY 11
POCKET SURVEYOR
ORANGE VEST



BRAND	ITEM NUMBER	DESCRIPTION
PIP	302-V100/LXL	HIGH VISIBILITY YELLOW VEST, MESH, LARGE/XLARGE
PIP	302-V100/23X	HIGH VISIBILITY YELLOW VEST, MESH, 2XL/3XL
PIP	302-V100/45X	HIGH VISIBILITY YELLOW VEST, MESH, 4XL/5XL
PIP	302-VOR/S/M	HIGH VISIBILITY ORANGE VEST, MESH, SMALL/MEDIUM
PIP	302-VOR/LXL	HIGH VISIBILITY ORANGE VEST, MESH, LARGE/XLARGE
PIP	302-VOR/23X	HIGH VISIBILITY ORANGE VEST, MESH, 2XL/3XL
PIP	302-VOR/45X	HIGH VISIBILITY ORANGE VEST, MESH, 4XL/5XL
PIP	302-0500/L	HIGH VIS 11 POCKET SURVEYORS VEST, ANSI TYPE R CLASS 2, LARGE
PIP	302-0500/XL	HIGH VIS 11 POCKET SURVEYORS VEST, ANSI TYPE R CLASS 2, XLARGE
PIP	302-0500/2XL	HIGH VIS 11 POCKET SURVEYORS VEST, ANSI TYPE R CLASS 2, XXLARGE



3331762LY

CLASS 3 YELLOW BOMBER JACKET



3331740

CLASS 3 YELLOW BOMBER JACKET WITH FIXED INSULATION



BRAND	ITEM NUMBER	DESCRIPTION
PIP	3331762LY/S	CLASS 3 BOMBER JACKET, ZIP-OUT FLEECE LINER, ZIPPER, 2IN. TAPE
PIP	3331762LY/M	CLASS 3 BOMBER JACKET, ZIP-OUT FLEECE LINER, ZIPPER, 2IN. TAPE
PIP	3331762LY/L	CLASS 3 BOMBER JACKET, ZIP-OUT FLEECE LINER, ZIPPER, 2IN. TAPE
PIP	3331762LY/XL	CLASS 3 BOMBER JACKET, ZIP-OUT FLEECE LINER, ZIPPER, 2IN. TAPE
PIP	3331762LY/2X	CLASS 3 BOMBER JACKET, ZIP-OUT FLEECE LINER, ZIPPER, 2IN. TAPE
PIP	3331762LY/3X	CLASS 3 BOMBER JACKET, ZIP-OUT FLEECE LINER, ZIPPER, 2IN. TAPE
PIP	3331762LY/4X	CLASS 3 BOMBER JACKET, ZIP-OUT FLEECE LINER, ZIPPER, 2IN. TAPE
PIP	3331762LY/5X	CLASS 3 BOMBER JACKET, ZIP-OUT FLEECE LINER, ZIPPER, 2IN. TAPE
PIP	3331740LY/M	CLASS 3 BOMBER BLACK TRIM, FIXED INSULATION, ZIPPER, 2 IN. TAPE
PIP	3331740LY/L	CLASS 3 BOMBER BLACK TRIM, FIXED INSULATION, ZIPPER, 2 IN. TAPE
PIP	3331740LY/XL	CLASS 3 BOMBER BLACK TRIM, FIXED INSULATION, ZIPPER, 2 IN. TAPE
PIP	3331740LY/2X	CLASS 3 BOMBER BLACK TRIM, FIXED INSULATION, ZIPPER, 2 IN. TAPE
PIP	3331740LY/3X	CLASS 3 BOMBER BLACK TRIM, FIXED INSULATION, ZIPPER, 2 IN. TAPE
PIP	3331740LY/4X	CLASS 3 BOMBER BLACK TRIM, FIXED INSULATION, ZIPPER, 2 IN. TAPE

SWEATSHIRTS / SUDADERAS



323-HSSE

HIGH VISIBILITY YELLOW CLASS 3 HOODED SWEATSHIRT



BRAND	ITEM NUMBER	DESCRIPTION
PIP	323HSSELY/M	CLASS 3 HOODED SWEATSHIRT, 80Z. FLEECE, ZIP FRONT, 2IN. TAPE
PIP	323HSSELY/L	CLASS 3 HOODED SWEATSHIRT, 80Z. FLEECE, ZIP FRONT, 2IN. TAPE
PIP	323HSSELY/XL	CLASS 3 HOODED SWEATSHIRT, 80Z. FLEECE, ZIP FRONT, 2IN. TAPE
PIP	323HSSELY/2X	CLASS 3 HOODED SWEATSHIRT, 80Z. FLEECE, ZIP FRONT, 2IN. TAPE
PIP	323HSSELY/3X	CLASS 3 HOODED SWEATSHIRT, 80Z. FLEECE, ZIP FRONT, 2IN. TAPE
PIP	323HSSELY/4X	CLASS 3 HOODED SWEATSHIRT, 80Z. FLEECE, ZIP FRONT, 2IN. TAPE
PIP	323HSSELY/5X	CLASS 3 HOODED SWEATSHIRT, 80Z. FLEECE, ZIP FRONT, 2IN. TAPE

HARD HATS / CASCOS



280CS4200
4PT SLIP RATCHET
CAP HARDHAT



280FBW4200
4PT WHEEL RATCHET
FULL BRIM HARDHAT



EV6151-10
EVOLUTION 6PT
STANDARD BRIM HAT



EV6161-10
EVOLUTION 6PT
FULL BRIM HAT



BRAND	ITEM NUMBER	DESCRIPTION
PIP	280CS4200	4PT SLIP RATCHET CAP HARDHAT
PIP	280CW4200	4PT WHEEL RATCHET CAP HARDHAT
PIP	280FBW4200	4PT WHEEL RATCHET FULL BRIM HARDHAT
PIP	EV6151-10	EVOLUTION 6PT STANDARD BRIM HAT
PIP	EV6161-10	EVOLUTION 6PT FULL BRIM HAT

PROTECTIVE EYEWEAR / GAFAS PROTECTORAS



250-01-0920
ZENON R12 RIMLESS
SAFETY GLASSES-CLEAR



250-01-0021
RECON RIMLESS SAFETY
GLASSES-GREY



250-32-0520
RECON RIMLESS SAFETY
GLASSES-CLEAR



250-32-0521
RECON RIMLESS SAFETY
GLASSES-GREY



BRAND	ITEM NUMBER	DESCRIPTION
PIP	250-01-0021	ZENON Z12 RIMLESS SAFETY GLASSES, GREY, ANTI-SCRATCH/ANTI-FOG
PIP	250-01-0920	ZENON Z12 RIMLESS SAFETY GLASSES, CLEAR, ANTI-SCRATCH/ANTI-FOG
PIP	250-32-0520	RECON RIMLESS SAFETY GLASSES, CLEAR, ANTI-SCRATCH/FOGLESS 3SIXTY
PIP	250-32-0521	RECON RIMLESS SAFETY GLASSES, GREY, ANTI-SCRATCH/FOGLESS 3SIXTY

EAR PROTECTION / PROTECCIÓN DE OÍDOS



267-HPF210C
EAR PLUGS CORDED



BRAND	ITEM NUMBER	DESCRIPTION
PIP	267-HPF210C	EAR PLUGS, FOAM, CORDED (1 PAIR/BAG, 100 PAIRS/BOX)



8210
N95 RESPIRATORS
20 PACK

8511
N95 RESPIRATORS
WITH VALVE 10 PACK



10102481
N95 RESPIRATORS
20 PACK

10102483
N95 RESPIRATORS
WITH VALVE 10 PACK



NBW95
N95 RESPIRATORS
20 PACK

NBW95V
N95 RESPIRATORS
WITH VALVE 10 PACK

BRAND	ITEM NUMBER	DESCRIPTION
3M	8210	N95 RESPIRATOR WITHOUT VALVE - 20 PACK
3M	8511	N95 RESPIRATOR WITH VALVE - 10 PACK
PIP	10102481	N95 RESPIRATOR WITHOUT VALVE - 20 PACK
PIP	10102483	N95 DUST RESPIRATORS WITH EXHALATION VALVE - 10 PACK
SPERIAN	NBW95	N95 RESPIRATOR WITHOUT VALVE - 20 PACK
SPERIAN	NBW95V	N95 RESPIRATOR WITH VALVE - 10 PACK

GLOVES / GUANTES



36-110
STRING KNIT GLOVES



34-274
MAXIFLEX ELITE ULTRA
18 GAUGE KNIT GLOVE



34-874
MAXIFLEX ULTIMATE
15 GAUGE KNIT GLOVE



34-C229
G-TEK GENERAL
PURPOSE GLOVE



16-560
G-TEK POLYKOR A4 CUT
RESISTANT GLOVE



BRAND	ITEM NUMBER	DESCRIPTION
PIP	36-110PDD	STRING KNIT GLOVES WITH BLACK DOTS BOTH SIDES, L OR S
PIP	34-274/MPK	MAXIFLEX ELITE ULTRA 18 GAUGE KNIT GLOVE W/ NITRILE COATED MICROFOAM GRIP, MEDIUM
PIP	34-274/LPK	MAXIFLEX ELITE ULTRA 18 GAUGE KNIT GLOVE W/ NITRILE COATED MICROFOAM GRIP, LARGE
PIP	34-274/XLPK	MAXIFLEX ELITE ULTRA 18 GAUGE KNIT GLOVE W/ NITRILE COATED MICROFOAM GRIP, XLARGE
PIP	34-874/MPK	MAXIFLEX ULTIMATE 15 GAUGE KNIT GLOVE W/ NITRILE COATED MICROFOAM GRIP, MEDIUM
PIP	34-874/LPK	MAXIFLEX ULTIMATE 15 GAUGE KNIT GLOVE W/ NITRILE COATED MICROFOAM GRIP, LARGE
PIP	34-874/XLPK	MAXIFLEX ULTIMATE 15 GAUGE KNIT GLOVE W/ NITRILE COATED MICROFOAM GRIP, XLARGE
PIP	34-C229/M	G-TEK GP KNIT GLOVE W/ NITRILE COATED SMOOTH GRIP, MEDIUM
PIP	34-C229/L	G-TEK GP KNIT GLOVE W/ NITRILE COATED SMOOTH GRIP, LARGE
PIP	34-C229/XL	G-TEK GP KNIT GLOVE W/ NITRILE COATED SMOOTH GRIP, XLARGE
PIP	16-560/M	G-TEK POLYKOR A4 CUT RESISTANT GLOVE W/ SMOOTH POLY GRIP, MEDIUM
PIP	16-560/L	G-TEK POLYKOR A4 CUT RESISTANT GLOVE W/ SMOOTH POLY GRIP, LARGE
PIP	16-560/XL	G-TEK POLYKOR A4 CUT RESISTANT GLOVE W/ SMOOTH POLY GRIP, XLARGE



WITH LOCATIONS ALL ACROSS THE U.S.

Every AMES is ready to help you with all of your drywall finishing needs.

CON UBICACIONES EN TODAS PARTES DE LOS EE.UU

Cada AMES está lista para ayudarle con todas sus necesidades de acabado de panel de yeso.



Visit our mobile friendly site at AMEStools.com to find your closest AMES.

Visite nuestro sitio compatible con dispositivos móviles en AMEStools.com para encontrar su AMES más cercana.